



**NOTE:**

- REFER TO DRAWING NO. 0416-01 FOR COMPLETE SET OF NOTES. NO WORK SHALL BE COMMENCED OR MATERIAL TO BE ORDERED BEFORE FULLY REVIEW NOTES.
- THE FOOTINGS SHALL BE FOUNDED IN THE NATURAL SOIL LAYER AND PENETRATE THROUGH ANY FILL MATERIAL, TREE ROOTS AND FOUNDED AT LEAST 100 mm INTO THE RECOMMENDED FOUNDING MATERIAL AS PER THE SOIL REPORT.
- IT IS RECOMMENDED THAT A GEOTECHNICAL ENGINEER TO BE ENGAGED DURING THE FOOTING EXCAVATION STAGE TO CONFIRM FOUNDING DEPTH AND MATERIAL.

**CLIENT DETAILS:**  
GARO ASSARIAN

**SITE DETAILS:**  
19 FITZGERALD CRES  
STRATHFIELD NSW

**ARIA ENGINEERING & DRAFTING SERVICES**  
72/459 CHURCH ST PARRAMATTA NSW 2150  
PH: 1300 523 538  
WWW.ARIA.ENGINEERING

**RESIDENTIAL EXTENSION  
FOOTING LAYOUT**

DRAWING NO.		0716-11 Rev 0			
JOB NO.		G1-0716		SCALE.	
				AS NOTED	
DRAWN	MR	19/07/2016	DESIGNED	PH	18/08/16
CHECKED	AM	20/07/2016	APPROVED	PA	07/09/16