

IDAP REPORT – SECTION 4.55(1A) OR (2) MODIFICATION

Property:	17 Firth Avenue STRATHFIELD Lot: 96 DP: 8778 DA2020/155/2
Proposal:	Section 4.55(1A) Modification Application to the approved dwelling house incorporating reconfiguration of internal layout and changes to the window schedule.
Applicant:	Urban Link Pty Ltd
Owner:	Kareem Family Trust
Date of lodgement:	28 January 2021
Notification period:	12 February 2021 – 26 February 2021
Submissions received:	0
Assessment officer:	J Gillies
Estimated cost of works:	\$2,143,367.00
Zoning:	R2-Low Density Residential - SLEP 2012
Heritage:	No
Flood affected:	No
RECOMMENDATION OF OFFICER:	APPROVAL




Figure: Aerial image of the subject site (outlined in yellow)

EXECUTIVE SUMMARY

Proposal

Development consent is being sought for the Section 4.55(1A) Modification Application to the approved dwelling house incorporating reconfiguration of internal layout and changes to the window schedule.

Site and Locality

The site is identified as 17 Firth Avenue, Strathfield and has a legal description of Lot: 96 DP: 8778. The site is a regular shaped parcel of land and is located on the western side of Firth Street, approximately 80m from Ada Avenue.

The site has a width of 20.115m, a depth of 63.875m and an overall site area of 1,284m².

Strathfield Local Environmental Plan

The site is zoned R2-Low Density Residential under the provisions of Strathfield LEP 2012 and the proposal is a permissible form of development with Council's consent. The proposal satisfies all relevant objectives contained within the LEP.

Development Control Plan

The proposed development generally satisfies the provisions of Strathfield Consolidated DCP 2005. This is discussed in more detail in the body of the report.

Notification

The application was notified in accordance with Council's Community Participation Plan from 12 February 2021 to 26 February 2021. No submissions were received during this time.

Issues

- Nil.

Conclusion

Having regards to the heads of consideration under Section 4.15 of the *Environmental Planning & Assessment Act 1979*, Development Application 2020/155/2 is recommended for approval subject to suitable conditions of consent.

REPORT IN FULL

Proposal

Council has received an application for the Section 4.55(1A) Modification Application to the approved dwelling house incorporating reconfiguration of internal layout and changes to the window schedule. More specifically, the proposal includes;

Ground floor level:

- Reconfiguration of the kitchen, pantry and powder room,
- Reconfiguration of the western (rear) elevation adjoining the living area (including amended window schedule),
- Deletion of the dining room window (northern elevation)
- Minor movement in location of windows and doors on southern and northern elevations.

First floor level:

- Deletion of Bedroom 5 (and increased size of bedroom 4 and bathroom),
- Deletion of a window on the southern elevation and slight movement of other windows on the northern and southern elevations.
- Changed window schedule on the western elevation adjoining the master bedroom.
- Replacement of the non-trafficable roof and sky light with a rooftop garden (also non-trafficable).

The Site and Locality

The subject site is legally described as Lot: 96 DP: 8778 and commonly known as 17 Firth Avenue Strathfield. The site is a regular shaped parcel of land and is located on the western side of Firth Street, approximately 80m from Ada Avenue. The site has a width of 20.115m, a depth of 63.875m and an overall site area of 1,284m².

Background

- 20 November 2020** The parent Application (DA 2020/155) was approved by Strathfield Council's Internal Development Assessment Panel.
- 28 January 2021** The subject Modification Application was lodged with Strathfield Council.
- 12 February 2021** The subject Application was publicly notified for 14 days in accordance with Strathfield Council's Community Participation Plan. No submissions were received during this period.

Section 4.55 of the EP&A Act 1979

The application has been lodged under the provisions of S4.55(1A) of the EPA Act. The application is considered to be of minor environmental impact, is substantially the same development for which consent was originally granted, has been notified in accordance with

the provisions of Council's CPP and any submissions made will be considered as part of this assessment. In addition, under the provisions of S4.55 (3), the reasons for the granting on the consent that sought to be modified will be taken into consideration during the detailed assessment of the application.

Section 4.15 Assessment – EP&A Act 1979

The following is an assessment of the application with regard to Section 4.15 (1) of the Environmental Planning and Assessment Act 1979.

(1) Matters for consideration – general

In determining an application, a consent authority is to take into consideration such of the following matters as are of relevance to the development the subject of the development application:

- (a) the provision of:**
(i) any environmental planning instrument,

Strathfield Local Environmental Plan

The development site is subject to the Strathfield Local Environmental Plan 2012

Part 2 – Permitted or Prohibited Development

Clause 2.1 – Land Use Zones

The subject site is zoned R2-Low Density Residential and the proposal as modified is a permissible form of development with Council's consent.

Part 4 – Principal Development Standards

Applicable SLEP 2012 Clause	Development Standards	Approved under DA2020/155	Development Proposal	Compliance/ Comment
4.3 Height of Buildings	9.5m	9.0m	9.0m	Yes
4.4 Floor Space Ratio	0.5:1 (642m ²)	0.5:1 (642)	0.5:1 (642)	Yes

The proposed modification incorporates internal reconfiguration, changes to a non-trafficable roof and minor changes to the window schedule. The approved height and FSR and height are unchanged by the proposal.

Part 6 – Additional Local Provisions

The proposed modification does not impact on compliance with Part 6 and the development as modified satisfies the aims, objectives and development standards, where relevant, of the Strathfield LEP 2012.

STATE ENVIRONMENTAL PLANNING POLICY (BUILDING SUSTAINABILITY INDEX: BASIX) 2004

A BASIX Certificate has been issued for the proposed development as modified and the commitments required by the BASIX Certificate have been satisfied.

STATE ENVIRONMENTAL PLANNING POLICY NO. 55 – REMEDIATION OF LAND (SEPP 55)

SEPP 55 applies to the land and pursuant to Section 4.15 was considered as part of the parent application (DA 2020/155) and the objectives outlined within SEPP55 were considered to be satisfied. The proposed modification does not impact on this conclusion.

STATE ENVIRONMENTAL PLANNING POLICY (VEGETATION IN NON-RURAL AREAS) 2017

State Environmental Planning Policy (Vegetation in Non-Rural Areas) 2017 replaces the repealed provisions of clause 5.9 of SLEP 2012 relating to the preservation of trees and vegetation.

The intent of this SEPP is consistent with the objectives of the repealed Standard where the primary aims/objectives are related to the protection of the biodiversity values of trees and other vegetation on the site.

The proposed development as modified does not result in the removal or loss of any trees or vegetation subject to the provision of this SEPP.

The aims and objectives outlined within the SEPP are considered to be satisfied.

(ii) any draft environmental planning instrument that is or has been placed on public exhibition and details of which have been notified to the consent authority, and

There are no draft planning instruments that are applicable to this site.

(iii) any development control plan,

The proposed development, as modified, is subject to the provisions of the Strathfield Consolidated Development Control Plan 2005. The assessment against the provisions of the DCP undertaken as part of the parent Application (DA 2020/155) is not impacted by the proposed modifications.

The proposed internal reconfigurations are minor and amendments to the window schedule do not result in any new privacy or overlooking compliance issues.

(iv) Any matters prescribed by the regulations, that apply to the land to which the development application relates,

The provisions of this clause are not relevant to the modification and have been addressed/considered as part of the original development consent.

(b) the likely impacts of that development, including environmental impacts on both the natural and built environments, and social and economic impacts in the locality,

The proposed development, as modified, is of a scale and character that is in keeping with other developments being constructed in the locality. Accordingly, the proposal is not considered to have a significant impact on the natural and built environment or any negative social or economic impacts on the locality.

(c) *the suitability of the site for the development,*

It is considered that the proposed development, as modified, is of a scale and design that is suitable for the site having regard to its size and shape, its topography, vegetation and relationship to adjoining developments.

(d) *any submissions made in accordance with this Act or the regulations,*

In accordance with the provisions of Councils Community Participation Plan, the application was placed on neighbour notification for a period of fourteen (14) days where adjoining property owners were notified in writing of the proposal and invited to comment. No submissions were received by Council during this period.

(e) *the public interest.*

The proposed development, as modified, is of a scale and character that does not conflict with the public interest.

Local Infrastructure Contributions

Section 7.13 of the EP&A Act 1979 relates to the collection of monetary contributions from applicants for use in developing key local infrastructure. This section prescribes in part as follows:

A consent authority may impose a condition under section 7.11 or 7.12 only if it is of a kind allowed by, and is determined in accordance with, a contributions plan (subject to any direction of the Minister under this Division).

STRATHFIELD INDIRECT SECTION 7.12 CONTRIBUTIONS PLAN

Section 7.12 Contributions are applicable to the proposed development in accordance with the Strathfield Indirect Development Contributions Plan. Development contributions are levied accordingly in the original DA (DA2020/155).

Conclusion

The application for modification has been assessed having regard to the Heads of Consideration under Section 4.15 (1) of the *Environmental Planning and Assessment Act 1979*, the provisions of the SLEP 2012 and SCDCP 2005.

Following detailed assessment it is considered that Development Application No. 155/2020/2 should be approved subject to the following amendments:

- Amend Condition 1 – Approved Plans and Documentation

Signed:

**J Gillies
Senior Planner**

Date: 4 May 2021

- I confirm that I have determined the abovementioned development application with the delegations assigned to my position;
- I have reviewed the details of this modified development application and I also certify that Section 7.12 Contributions are applicable to this development and have been levied accordingly;

Report and recommendations have been peer reviewed and concurred with.

Signed:
Miguel Rivera

Date: 5 May 2021

The following conditions of consent are imposed for the following reasons:

- (a) To ensure compliance with the terms of the relevant Environmental Planning Instrument and/or Building Code of Australia and/or Council's codes, policies and specifications.
- (b) To protect the environment.
- (c) To ensure that there is no unacceptable impact on the amenity of the area, or to private and public property.
- (d) It is in the public interest.

DEVELOPMENT DETAILS

1 Approved Plans & Documentation

The development must be implemented in accordance with the approved plans and supporting documentation listed below which have been endorsed by Council's approved stamp, except where marked up on the plans and/or amended by conditions of this consent:

Description	Reference No.	Date	Revision	Prepared by
SITE PLAN	DA1002	16/10/2020	B	URBANLINK
		15/01/2021	C	
BASEMENT PLAN	DA2001	16/10/2020	B	URBANLINK
		15/01/2021	C	
GROUND FLOOR PLAN	DA2002	16/10/2020	B	URBANLINK
		15/01/2021	C	

FIRST FLOOR PLAN	DA2003	16/10/2020 15/01/2021	B C	URBANLINK
ROOF PLAN	DA2004	16/10/2020 15/01/2021	B C	URBANLINK
ELEVATIONS	DA3001	16/10/2020 15/01/2021	B C	URBANLINK
STREETSCAPE ANALYSIS AND FENCE TYPE 1 DETAIL	DA3002	16/10/2020 15/01/2021	B C	URBANLINK
SECTIONS	DA4001	16/10/2020 15/01/2021	B C	URBANLINK
PROPOSED LANDSCAPE PLAN	L/01	18/08/2020	-	atc
EXTERNAL FINISHES SCHEDULE	DA6001	21/08/2020	A	URBANLINK
Stormwater Plans	20MB8422/D01	13/08/2020	A	United Consulting Engineers
Waste Management Plan	-	20/08/2020	-	-
DEMOLITION PLAN	DA5001	21/08/2020	A	URBANLINK
BASIX Certificate	1125609S 1125609S_02	18 August 2020 14 January 2021	-	architek

Modified by DA2020/155/2 – 14 May 2021

2 Building Height

The height of the building measured from Australian Height Datum (AHD) must not exceed Relative Level (RL) 49.231 AHD to the roof ridge of the dwelling house.

SEPARATE APPROVALS REQUIRED UNDER OTHER LEGISLATION

3 Section 138 Roads Act 1993 and Section 68 Local Government Act 1993

Unless otherwise specified by a condition of this consent, this Development Consent does not give any approval to undertake works on public infrastructure.

Separate approval is required under Section 138 of the [Roads Act 1993](#) and/or Section 68 of the [Local Government Act 1993](#) for any of the following activities carried out in, on or over a public road (including the footpath) listed below.

An application is required to be lodged and approved prior to the commencement of any of the following works or activities;

- (a) Placing or storing materials or equipment;
- (b) Placing or storing waste containers or skip bins;
- (c) Erecting a structure or carrying out work
- (d) Swinging or hoisting goods over any part of a public road by means of a lift, crane or the like;
- (e) Pumping concrete from a public road;
- (f) Pumping water from the site into the public road;
- (g) Constructing a vehicular crossing or footpath;
- (h) Establishing a “works zone”;
- (i) Digging up or disturbing the surface of a public road (e.g. Opening the road for the purpose of connections to utility providers);
- (j) Stormwater & ancillary works in the road reserve; and
- (k) Stormwater & ancillary to public infrastructure on private land
- (l) If any excavation is to be supported by the use of below ground (cable) anchors that are constructed under Council’s roadways/footways.

These separate activity approvals must be obtained and evidence of the approval provided to the Certifying Authority prior to the issue of the Construction Certificate.

The relevant Application Forms for these activities can be downloaded from Council's website www.strathfield.nsw.gov.au. For further information, please contact Council's Customer Service Centre on (02) 9748 9999.

4 **Vehicular Crossing - Minor Development**

Constructing a vehicular crossing and/or footpath requires a separate approval under Section 138 of the [Roads Act 1993](#) prior to the commencement of those works.

To apply for approval, complete the *Works Permit Application Form* which can be downloaded from Strathfield Council's Website at www.strathfield.nsw.gov.au. Lodge the application form, together with the associated fees at Council's Customer Service Centre, during business hours. Refer to Civic & Urban Services Section in Council's adopted *Fees and Charges* for the administrative and inspection charges associated with *Works Permit* applications.

An approval for a new or modified vehicular crossing will contain the approved access and/or alignment levels which will be required to construct the crossing and/or footpath. Once approved, all work shall be carried out in accordance with Council's specifications applicable at the time, prior to the issue of an Occupation Certificate.

REQUIREMENTS OF CONCURRENCE, INTEGRATED & OTHER GOVERNMENT AUTHORITIES

Nil

PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

5 **Fees to be Paid**

The fees listed in the table below must be paid in accordance with the conditions of this consent and Council's adopted Fees and Charges applicable at the time of payment (available at www.strathfield.nsw.gov.au).

Payments must be made prior to the issue of the Construction Certificate or prior to the commencement of work (if there is no associated Construction Certificate).

Please contact council prior to the payment of s7.11 or s7.12 Contributions to determine whether the amounts have been indexed from that indicated below in this consent and the form of payment that will be accepted by Council.

A summary of the fees to be paid are listed below:

Fee Type	Fee
GENERAL FEES	
Long Service Levy (to Long Service Corporation) Or, provide evidence of Payment direct to the Long Service Corporation. See https://portal.longservice.nsw.gov.au/bci/levy/	\$ 7,501.78
Security Damage Deposit	\$ 18,000.00
Tree Bond	\$ 40,000.00
Administration Fee for Damage Deposit	\$ 254.00
DEVELOPMENT CONTRIBUTIONS	
Strathfield Section 94A Indirect Development Contributions Plan 2017	\$ 21,433.67

General Fees

The fees and charges above are subject to change and are as set out in the version of Council's Schedule of Fees and Charges or as required by other Government Authorities, applicable at the time of payment.

Development Contributions

The Section 7.11 contribution (s94) is imposed to ensure that the development makes adequate provision for the demand it generates for public amenities and public services within the area.

A Section 7.12 contribution has been levied on the subject development pursuant to the Strathfield Section 94A Indirect Development Contributions Plan.

Indexation

The above contributions will be adjusted at the time of payment to reflect changes in the cost of delivering public amenities and public services, in accordance with the indices provided by the relevant Development Contributions Plan.

Timing of Payment

The contribution must be paid and receipted by Council:

- Prior to the release of the Construction Certificate.

Further Information

A copy of the *current Development Contributions Plans* may be inspected at Council's Customer Service Centre at 65 Homebush Road, Strathfield or on Council's website www.strathfield.nsw.gov.au.

6 Required Design Changes

The following changes are required to be made and shown on the Construction Certificate plans:

Amendments made in red on approved plans	All changes made in red on the approved plans shall be updated and shown on the Construction Certificate plans.
Outbuilding height	The maximum outbuilding height must be reduced from the proposed RL 44.641 to RL 43.4 or below. To achieve this, the deck area immediately adjoining the pool may need to be stepped down. The floor to ceiling height must also be reduced to 2.2m. A pitched roof outcome must remain. This is required to bring the maximum allowed ridge height into compliance with the controls as stated in the relevant DCP (3.5m maximum from the Natural Ground Level beneath the ridge).
Basement footprint	The basement floor plan must be revised and reduced in area. The revised basement design is to incorporate a maximum of 20m ² of storage space and maintain the provision of two parking bays and space required for car turning paths. The space required for car turning paths must be supported by diagrams of the turning paths.
Driveway width	The vehicular access driveway width must be reduced from the proposed 3.7m metres to 3m metres to achieve a maximum allowed width of 3m. Any front fence or gate opening adjustments required as a result of this reduction must be illustrated on the plans lodged with the application for the Construction Certificate.
Landscaping within Northern side setback	A revised Landscape Plan must be prepared detailing soft landscaping within the northern side setback in the location of what is currently shown as pebbled mulch. The outcome may incorporate turf or a combination of pebbled mulch and

	continuous plantings.
Tree planting within the front and rear setbacks	A revised Landscape Plan must be prepared detailing the provision of 2 canopy trees within the front setback and 1 canopy tree within the rear setback. <i>A canopy tree is a tree which is expected to have a minimum mature height of 10m planted within a minimum 50 litre container (Refer to Appendix 1 of General Introduction of SCDCP 2005 for weblink to Council's recommended tree list).</i>

7 **Damage Deposit – Minor Works**

In order to insure against damage to Council property the following is required:

- (a) Pay Council, before the issue of the Construction Certificate, a damage security deposit for the cost of making good any damage caused to any Council property as a result of the development: \$18,000.
- (b) Pay Council, before the issue of the Construction Certificate, a non-refundable administration fee to enable assessment of any damage and repairs where required: \$127.00
- (c) Submit to Council, before the commencement of work, a photographic record of the condition of the Council nature strip, footpath and driveway crossing, or any area likely to be affected by the proposal.

At the completion of work Council will inspect the public works, and the damage deposit will be refunded in full upon completion of work where no damage occurs. Otherwise the amount will be either forfeited or partly refunded according to the amount of damage.

8 **Tree Bond**

A tree bond of \$40,000.00 (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A request for refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

9 **Site Management Plan**

Minor Development

A Site Management Plan detailing all weather access control points, sedimentation controls, waste management plans, fencing, builder's site sheds office, amenities, materials storage and unloading arrangements must be submitted with the application for the Construction Certificate.

The site management measures are to be implemented prior to the commencement of any works including demolition and excavation. The site management measures are to be maintained throughout the works, to maintain reasonable levels of public health, safety and amenity. A copy of the Site Management Plan must be kept on site and is to be made available upon request.

10 **BASIX Commitments**

The approved BASIX Certificate shall be submitted to the Accredited Certifier with the application for a Construction Certificate.

All measures and commitments as detailed in the BASIX Certificate No. 1125609S must be implemented on the plans lodged with the application for the Construction Certificate.

11 **Erosion & Sedimentation Control**

Erosion and sediment controls must be provided to ensure:

- (a) Compliance with the approved Erosion & Sediment Control Plan
- (b) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval)
- (c) All clean water run-off is diverted around cleared or exposed areas
- (d) Silt fences, stabilised entry/exit points or other devices are installed to prevent sediment from entering drainage systems or waterways
- (e) All erosion and sediment controls are fully maintained for the duration of demolition, excavation and/or development works

- (f) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadway
- (g) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar
- (h) Compliance with [Managing Urban Stormwater – Soils and Construction \(Blue Book\) produced by Landcom 2004](#).

These measures are to be implemented prior to the commencement of work (including demolition and excavation) and must remain until works are completed and all exposed surfaces are landscaped/sealed.

12 **Pre-Construction Dilapidation Report – Private Land**

A professional engineer specialising in structural or geotechnical engineering shall prepare a Pre-Construction Dilapidation Report detailing the current structural condition of adjoining premises including but not limited to:

- (a) All neighbouring buildings likely to be affected by the excavation as determined by the consulting engineer.
- (b) 15 Firth Street (Lot 95 DP 8778)
- (c) 19 Firth Street (Lot 97 DP 8778)

The report shall be prepared at the expense of the applicant and submitted to the satisfaction of the Certifying Authority prior to the issue of the Construction Certificate.

A copy of the pre-construction dilapidation report is to be provided to the adjoining properties (subject of the dilapidation report), a minimum of 5 working days prior to the commencement of work. Evidence confirming that a copy of the pre-construction dilapidation report was delivered to the adjoining properties must be provided to the PCA.

Should the owners of properties (or their agents) refuse access to carry out inspections, after being given reasonable written notice, this shall be reported to Council to obtain Council's agreement to complete the report without access. Reasonable notice is a request for access in no sooner than 14 days between 8.00am-6.00pm.

13 **Stormwater System**

The submitted stormwater plan has been assessed as a concept plan only. Final detailed plans of the drainage system in accordance with Council stormwater management code and AS/NZS 3500.3: 2015 (as amended), prepared by a professional engineer specialising in hydraulic engineering, shall be submitted for approval with the Construction Certificate.

14 **Drainage System – Maintenance of Existing System**

Where elements of the existing drainage system are to be utilised, the existing drainage system shall be overhauled and maintained clear of silt and accumulated debris. Silt and the like shall be removed, not flushed from the system.

A certificate shall be provided by a suitably qualified person (a registered plumber or a person of equivalent or greater experience or qualification) to the satisfaction of the Principal Certifying Authority, prior to the issue of any Occupation Certificate to confirm that the system is in good working order and adequate to accept additional flows having regard to any relevant standards and/or Sydney Water requirements.

15 **Pump-Out System Design for Stormwater Disposal**

The design of the pump-out system for storm water disposal will be permitted for drainage of basement areas only, and must be designed in accordance with the following criteria:

- (a) The pump system shall consist of two pumps, connected in parallel, with each pump being capable of emptying the holding tank at the rate equal to the rate of inflow for the one-hour duration storm. The holding tank shall be capable of holding four hour's runoff from a one-hour duration storm of the 1 in 100 year storm;
- (b) The pump system shall be regularly maintained and serviced, every six (6) months; and
- (c) Any drainage disposal to the street gutter from a pump system must have a stilling sump provided at the property line, connected to the street gutter by a suitable gravity line.

Details and certification of compliance from a professional engineer specialising in civil engineering shall be provided for approval with the Construction Certificate application.

16 **Waste Manage Plan (WMP)**

Prior to the issue of a Construction Certificate, a Waste Management Plan (WMP) must be submitted and it must comply with the requirements contained within Part H of Strathfield Development Control Plan 2005 (DCP 2005). A WMP will become part of any development consent issued and aims to facilitate better waste management, waste minimization and resource recovery.

The WMP is an important planning document that will not only be utilised as part of the development application process, but during construction and for the ongoing use of the development. The WMP will continue to apply as a working reference for the life of the development.

At least one copy of the WMP is to be available on site at all times during construction. Copies of demolition and construction waste dockets that verify the facility that received the material for recycling or disposal and the quantity of waste received, must be retained on site at all times during construction.

17 Compliance with Swimming Pool Act 1992

The alterations and additions to the dwelling house and/or the construction of the new dwelling house subject of this consent must not generate any non-compliances with the Swimming Pools Act 1992, Swimming Pool Regulation 2018 and the Building Code of Australia. Details of compliance to be illustrated on the plans lodged with the application for the Construction Certificate.

18 Fire Safety Measures

Prior to the issue of a construction certificate a list of the existing and proposed essential fire safety measures that are to be provided in relation to the land and any building on the land as a consequence of the building work must accompany an application for a construction certificate, which is required to be submitted to either Council or a PCA. Such list must also specify the minimum standard of performance for each essential fire safety measure included in the list. The Council or PCA will then issue a Fire Safety Schedule for the building.

19 Structural Details

Engineer's details prepared by a practising Structural Engineer being used to construct all reinforced concrete work, structural beams, columns & other structural members. The details are to be submitted to the Principal Certifying Authority for approval prior to construction of the specified works.

A copy shall be forwarded to Council where Council is not the PCA.

20 Engineer's Certificate

A certificate from a professional Engineer specialising in structural engineering certifying the structural adequacy of the existing structure, to support all proposed additional superimposed loads shall be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

21 Geotechnical Report

Geotechnical Reports: The applicant must submit a Geotechnical Report, prepared by a professional engineer specialising in geotechnical engineering who holds the relevant Certificate of accreditation as required under the *Building Professionals Act 2005* in relation to dilapidation reports, all site works and construction. This is to be submitted before the issue of the Construction Certificate and is to include:

- (a) Investigations certifying the stability of the site and specifying the design constraints to be placed on the foundation, any earthworks/stabilization

works and any excavations.

- (b) On-site guidance by a vibration specialist during the early part of excavation.
- (c) Measures to minimise vibration damage and loss of support to other buildings. Where possible any excavation into rock is to be carried out with tools such as rock saws which reduce vibration to adjoining buildings and associated structures. Where a hydraulic hammer is to be used within 30 metres of any building (other than a path or a fence) the report shall detail the maximum size of hammer to be used and provide all reasonable recommendations to manage impacts.
- (d) Sides of the excavation are to be piers prior to any excavation occurring to reinforce the walls of the excavation to prevent any subsidence to the required setbacks and neighbouring sites.

22 **Swimming Pools – Use and Maintenance**

The following apply to the construction, use and maintenance of swimming pools and spas:

- (a) no ground level may be raised or filled except where shown specifically on the approved plans;
- (b) all pool/spa waste water is to be discharged to the sewer according to the requirements of Sydney Water;
- (c) the swimming pool must not be used for commercial or professional purposes;
- (d) drain paved areas to the landscaped areas or a suitable lawful drainage system; and
- (e) arrange any external pool/spa lighting to minimise glare nuisance to adjoining owners.

23 **Off Street Parking – Compliance with AS2890**

All driveways, access ramps, vehicular crossings and car parking spaces shall be designed and constructed in accordance with the current version of Australian Standards, AS 2890.1 (for car parking facilities), AS 2890.6 (parking for people with disabilities) and AS 2890.2 (for commercial vehicle facilities).

24 **Landscape Plan**

All landscape works shall be carried out in accordance with the approved landscape plans, subject to the changes required under condition 6. The landscaping shall be maintained in accordance with the approved plans in perpetuity.

PRIOR TO THE COMMENCEMENT OF WORK (INCLUDING DEMOLITION & EXCAVATION)

25 Demolition & Asbestos

The demolition work shall comply with the provisions of Australian Standard AS2601:2001 – Demolition of Structures, NSW [Work Health & Safety Act 2011](#) and the NSW [Work Health & Safety Regulation 2011](#). The work plans required by AS2601:2001 shall be accompanied by a written statement by a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the safety statement shall be submitted to the PCA prior to the commencement of works.

For demolition work which involves the removal of asbestos, the asbestos removal work must be carried out by a licensed asbestos removalist who is licensed to carry out the work in accordance with the NSW [Work Health & Safety Act 2011](#) and the NSW [Work Health & Safety Regulation 2011](#) unless specified in the Act and/or Regulation that a license is not required.

All demolition work including the removal of asbestos, shall be undertaken in accordance with the [Demolition Code of Practice](#) (NSW Work Cover July 2015)

Note: Copies of the Act, Regulation and Code of Practice can be downloaded free of charge from the SafeWork NSW website: www.SafeWork.nsw.gov.au.

26 Demolition Notification Requirements

The following notification requirements apply to this consent:

- (a) The developer /builder must notify adjoining residents five (5) working days prior to demolition. Such notification is to be a clearly written note giving the date demolition will commence, contact details of the developer/builder, licensed asbestos demolisher and the appropriate regulatory authority. Notification is to be placed in the letterbox of every premises (including every residential flat or unit, if any) either side and immediately at the rear of the demolition site.
- (b) Five (5) working days prior to demolition, the developer/builder is to provide written notification to Council advising of the demolition date, details of the SafeWork licensed asbestos demolisher and the list of residents advised of the demolition.
- (c) On demolition sites where buildings to be demolished contain asbestos, a standard commercially manufactured sign containing the words “DANGER ASBESTOS REMOVAL IN PROGRESS” measuring not less than 400mm x 300mm is to be erected in a prominent visible position (from street frontage) on the site. The sign is to be erected prior to demolition work commencing and is to remain in place until such time as all asbestos material has been removed from the site to an approved waste facility.

27 **Demolition Work Involving Asbestos Removal**

Work involving bonded asbestos removal work (of an area of more than 10 square metres) or friable asbestos removal work must be undertaken by a person who carries on a business of such removal work in accordance with a licence under clause 458 of the [Work Health and Safety Regulation 2011](#).

28 **Dial Before You Dig**

The applicant shall contact “Dial Before You Dig on 1100” to obtain a Service Diagram prior to the issuing of the Construction Certificate. The sequence number obtained from “Dial Before You Dig” shall be forwarded to Council’s Engineers for their records.

29 **Registered Surveyors Report - During Development Work**

A report must be submitted to the PCA at each of the following applicable stages of construction:

- (a) Set out before commencing excavation.
- (b) Floor slabs or foundation wall, before formwork or commencing brickwork.
- (c) Completion of Foundation Walls - Before any construction of flooring, detailing the location of the structure relative to adjacent boundaries and floor levels relative to the datum shown on the approved plans.
- (d) Completion of Floor Slab Formwork - Before pouring of concrete/walls construction, detailing the location of the structure relative to adjacent boundaries and floor levels relative to the datum shown on the approved plans. In multi-storey buildings a further survey must be provided at each subsequent storey.
- (e) Completion of any Pool Formwork - Before concreting of pool shell, detailing the location of the pool relative to the adjacent boundaries and its height relative to the datum shown on the approved plans.
- (f) Completion of any Roof Framing - Before roof covered detailing eaves/gutter setback from boundaries.
- (g) Completion of all Work - Detailing the location of the structure (including eaves/gutters) relative to adjacent boundaries and its height relative to the datum shown on the approved plans. A final Check Survey must indicate the reduced level of the main ridge.

Work must not proceed beyond each stage until the PCA is satisfied that the height and location of the building is proceeding in accordance with the approved plans.

30 **Dust Control**

Where a dust nuisance is likely to occur, suitable screens and/or barricades shall be erected during the demolition, excavation and building works. If necessary, water sprays shall be used on the site to reduce the emission of dust. Screening shall consist of a minimum 2 metres height of shade cloth or similar material secured to a chain wire fence of the like and shall be modified as required should it fail to adequately control any dust nuisance.

DURING CONSTRUCTION

31 **Site Sign – Soil & Erosion Control Measures**

Prior to the commencement of works (including demolition and excavation), a durable site sign, issued by Council in conjunction with this consent, must be erected in a prominent location on site. The site sign warns of the penalties which apply to pollution, storing materials on road or footpath and breaches of the conditions relating to erosion and sediment controls. The sign must remain in a prominent location on site up until the completion of all site and building works.

32 **Hours of Construction for Demolition and Building Work**

Any work activity or activity associated with the development consent that requires the use of any tools (including hand tools) or any power operated plant and machinery that creates noise on or adjacent to the site shall not be performed, or permitted to be performed, except between the hours of 7.00 am to 5.00 pm, Monday to Friday and 8:00am to 1:00pm on Saturdays. No work or ancillary activity is permitted on Sundays, or Public Holidays.

Where the development involves the use of jack hammers/rock breakers and the like, or other heavy machinery, such equipment may only be used between the hours of 7:00am to 5:00pm Monday to Friday only.

Note: A penalty infringement notice may be issued for any offence.

33 **Ground Levels and Retaining Walls**

The ground levels of the site shall not be excavated, raised or filled, or retaining walls constructed on the allotment boundary, except where indicated on approved plans or approved by Council.

34 Cost of Work to be Borne by the Applicant

The applicant shall bear the cost of all works associated with the construction of the development that occurs on Council property. Care must be taken to protect Council's roads, including the made footway, kerbs, etc., and, where plant and vehicles enter the site, the footway shall be protected against damage by deep-sectioned timber members laid crosswise, held together by hoop iron straps and chamfered at their ends. This construction shall be maintained in a state of good repair and condition throughout the course of construction.

35 Obstruction of Road or Footpath

The use of the road or footpath for the storage of any building materials, waste materials, temporary toilets, waste or skip bins, or any other matter is not permitted unless separately approved by Council under Section 138 of the [Roads Act 1993](#) and/or under Section 68 of the [Local Government Act 1993](#). Penalty infringement Notices may be issued for any offences and severe penalties apply.

36 Removal & Filling of Swimming Pools

- (a) The site of the swimming pool must be filled (if necessary) so as to restore the site to the ground levels (existing) adjacent to the pool, and
- (b) The swimming pool must not be filled with building demolition waste of any kind and if constructed as a concrete shell must be demolished so as to allow ground water to escape or drain to groundwater and
- (c) The fill must be certified clean imported soil or virgin excavated material (VENM) and compacted, and
- (d) Any piping or similar material must be removed from the site before the site is filled.

37 Swimming Pools – Filling with Water

The pool/spa shall not be filled until the safety fences have been completed in accordance with the approved plans and specifications and inspected by the PCA.

PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

38 BASIX Certificate

All energy efficiency measures as detailed in the approved BASIX Certificate in the plans approved with the Development Consent, must be implemented before issue of any Occupation Certificate.

39 **BASIX Compliance Certificate**

A Compliance Certificate must be provided to the PCA regarding the implementation of all energy efficiency measures as detailed in the approved BASIX Certificate before any Occupation Certificate is issued.

40 **Completion of Landscape Works**

At the completion of all works, a certificate is to be submitted to the Principal Certifying Authority from a qualified Landscape and/or Arboricultural Consultant certifying that the work has been completed in accordance with the approved Landscape Plan and that a maintenance program has been established.

41 **Post Construction Dilapidation Report – Private Land**

At the completion of the construction works, a suitably qualified person is to be engaged to prepare a post-construction dilapidation report. This report is to ascertain whether the construction works associated with the subject development created any structural damage to the following adjoining premises:

(d) 15 Firth Street (Lot 95 DP 8778)

(e) 19 Firth Street (Lot 97 DP 8778)

The report is to be prepared at the expense of the applicant and submitted to the PCA prior to the issue of the Occupation Certificate. In ascertaining whether adverse structural damaged has occurred to the adjoining premises, the PCA, must compare the post-construction dilapidation report with the pre-construction dilapidation report required by conditions in this consent.

Evidence confirming that a copy of the post-construction dilapidation report was delivered to the adjoining properties subject of the dilapidation report must be provided to the PCA prior to the issue of any Occupation Certificate.

42 **Minor Development**

Internal driveways and parking spaces are to be adequately paved with concrete or bitumen, or interlocking pavers to provide a dust-free surface.

43 **Stormwater Certification of the Constructed Drainage Works (Minor)**

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

44 **Requirements Prior to the Issue of the Occupation Certificate**

The following shall be completed and or submitted to the PCA prior to the issue of the Occupation Certificate:

- (a) All the stormwater/drainage works shall be completed in accordance with the approved Construction Certificate plans prior to the issue of the Occupation Certificate.
- (b) The internal driveway construction works, together with the provision for all services (conduits and pipes laid) shall be completed in accordance with the approved Construction Certificate plans prior to the issue of the Occupation Certificate.
- (c) Construct any new vehicle crossings required.
- (d) Replace all redundant vehicle crossing laybacks with kerb and guttering, and replace redundant concrete with turf.
- (e) A Section 73 (Sydney Water) Compliance Certificate for the Subdivision shall be issued and submitted to the PCA prior to the issue of the Occupation Certificate.
- (f) Work as Executed Plans prepared by a Chartered Professional Engineer or a Registered Surveyor when all the site engineering works are complete shall be submitted to the PCA prior to the issue of the Occupation Certificate.

45 **Vehicular Crossing - Minor Development**

The vehicular crossing and/or footpath works shall be constructed by a private contractor at the expense of the applicant, in accordance with the Works Permit Approval issued by Council's Civic & Urban Services and in accordance with Council's Driveway Specifications.

Any existing vehicular crossing and/or laybacks which are redundant must be removed. The kerb and gutter, any other footpath and turf areas shall be restored at the expense of the applicant and in accordance with Council's Driveway Specifications.

The work must be completed before the issue of an Occupation Certificate.

46 **Stormwater Drainage Works – Works As Executed**

Prior to the issue of the Occupation Certificate, stormwater drainage works are to be certified by a professional engineer specialising in hydraulic engineering, with Works-As-Executed drawings supplied to Council detailing:

- (a) Compliance with conditions of development consent relating to stormwater;
- (b) Pipe invert levels and surface levels to Australian Height Datum;
- (c) Contours indicating the direction in which water will flow over land should the capacity of the pit be exceeded in a storm event exceeding design limits.

Council's Engineering Services section must advise in writing that they are satisfied with the Works-As-Executed prior to the issue of an Occupation Certificate.

PRIOR TO THE ISSUE OF THE SUBDIVISION CERTIFICATE

Nil

OPERATIONAL CONDITIONS (ON-GOING)

47 **Maintenance of Landscaping**

All trees and plants forming part of the landscaping must be maintained. Maintenance includes watering, weeding, removal of rubbish from tree bases, fertilizing, pest and disease control, replacement of dead or dying plants and any other operations required to maintain healthy trees, plants and turfed areas.

48 **Private Swimming Pools & Spas – Pump Noise**

The swimming pool/spa pump and associated equipment must be located so that the noise emitted does not exceed 5dB(A) above the background level. If this cannot be achieved, a ventilated and sound-proofed enclosure must enclose the pump to achieve the required noise levels.

Swimming pool is to be installed with a timer that limits the recirculation and filtration systems operation such that it does not emit noise that can be heard within a habitable room in any other residential premises (regardless of whether any door or window to that room is open):

- (a) before 8 am or after 8 pm on any Sunday or public holiday, or
- (b) before 7 am or after 8 pm on any other day.

49 **Use of Basement**

The basement is not to be used for human habitation or for any commercial or industrial purpose.

OPERATIONAL REQUIREMENTS UNDER THE ENVIRONMENTAL PLANNING & ASSESSMENT ACT 1979

50 **Requirement for a Construction Certificate**

The erection of a building must not commence until a Construction Certificate has been issued.

51 **Appointment of a PCA**

The erection of a building must not commence until the applicant has:

- (a) appointed a PCA for the building work; and
- (b) if relevant, advised the PCA that the work will be undertaken as an Owner - Builder.

If the work is not going to be undertaken by an Owner - Builder, the applicant must:

- (c) appoint a Principal Contractor to undertake the building work. If residential building work (within the meaning of the [Home Building Act 1989](#)) is to be undertaken, the Principal Contractor must be a holder of a contractor licence; and
- (d) notify the PCA of the details of any such appointment; and
- (e) notify the Principal Contractor of any critical stage inspections or other inspections that are required to be carried out in respect of the building work.

52 **Notification of Critical Stage Inspections**

No later than two days before the building work commences, the PCA must notify:

- (a) the consent authority and the Council (if not the consent authority) of his or her appointment; and
- (b) the applicant of the critical stage inspections and other inspections that are to be carried out with respect to the building work.

53 **Notice of Commencement**

The applicant must give at least two days notice to the Council and the PCA of their intention to commence the erection of a building.

54 **Critical Stage Inspections**

The last critical stage inspection must be undertaken by the PCA. The critical stage inspections required to be carried out vary according to Building Class under the Building Code of Australia and are listed in Clause 162A of the [Environmental Planning and Assessment Regulation 2000](#).

55 **Notice to be Given Prior to Critical Stage Inspections**

The principal contractor for a building site, or the owner-builder, must notify the PCA at least 48 hours before each required inspection needs to be carried out.

56 **Occupation Certificate**

A person must not commence occupation or use of the whole or any part of a new building unless an Occupation Certificate has been issued in relation to the building or part.

PRESCRIBED CONDITIONS

57 **Clause 97A – BASIX Commitments**

This Clause requires the fulfilment of all BASIX Commitments as detailed in the BASIX Certificate to which the development relates.

58 **Clause 98 – Building Code of Australia & Home Building Act 1989**

Requires all building work to be carried out in accordance with the Building Code of Australia. In the case of residential building work to which the [Home Building Act 1989](#) relates, there is a requirement for a contract of insurance to be in force before any work commences.

59 **Clause 98A – Erection of Signs**

Requires the erection of signs on site and outlines the details which are to be included on the sign. The sign must be displayed in a prominent position on site and include the name and contact details of the PCA and the Principal Contractor.

60 **Clause 98B – Home Building Act 1989**

If the development involves residential building work under the [Home Building Act 1989](#), no work is permitted to commence unless certain details are provided in writing to Council. The name and licence/permit number of the Principal Contractor or Owner Builder and the name of the Insurer by which work is insured under Part 6 of the [Home Building Act 1989](#).

61 **Clause 98E – Site Excavation**

Excavation of the site is to extend only to that area required for building works depicted upon the approved plans. All excess excavated material shall be removed from the site.

All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.

All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

If the soil conditions require it, retaining walls associated with the erection or demolition of a building or other approved methods of preventing movement of the soil shall be provided and adequate provision shall be made for drainage.

ADVISORY NOTES

1. Review of Determination

Section 8.2 of the Environmental Planning and Assessment Act confers on an applicant who is dissatisfied with the determination of the application the right to lodge an application with Council for a review of such determination. Any such review must however be completed within 6 months from its determination. Should a review be contemplated sufficient time should be allowed for Council to undertake public notification and other processes involved in the review of the determination.

Note: review provisions do not apply to Complying Development, Designated Development, State Significant Development, Integrated Development or any application determined by the Sydney East Planning Panel or the Land & Environment Court.

2. Appeal Rights

Division 8.3 (Reviews and appeals) Part 8 of the Environmental Planning and Assessment Act 1979 confers on an applicant who is dissatisfied with the determination of the application a right of appeal to the Land and Environment Court of New South Wales.

3. Lapsing of Consent

This consent will lapse unless the development is physically commenced within 5 years from the Date of Operation of this consent, in accordance with Section 4.53 of the Environmental Planning and Assessment Act 1979 as amended.

4. Access to NSW Legislations (Acts, Regulations and Planning Instruments)

NSW legislation can be accessed free of charge at www.legislation.nsw.gov.au

5. Long Service Levy

The Long Service Corporation administers a scheme which provides a portable long service benefit for eligible workers in the building and construction industry in NSW. All benefits and requirements are determined by the Building and Construction Industry Long Service Payments Act 1986. More information about the scheme and the levy amount you are required to pay to satisfy a condition of your consent can be found at <http://www.longservice.nsw.gov.au>.

The required Long Service Levy payment can be direct to the Long Service Corporation via their web site <https://online.longservice.nsw.gov.au/bci/levy>. Payments can only be processed on-line for the full levy owing and where the value of work is between \$25,000 and \$6,000,000. Payments will be accepted for amounts up to \$21,000, using either MasterCard or Visa.

6. Disability Discrimination Act

This application has been assessed in accordance with the [Environmental Planning and Assessment Act 1979](#). No guarantee is given that the proposal complies with the [Disability Discrimination Act 1992](#). The applicant is responsible to ensure compliance with this and other anti-discrimination legislation. The [Disability Discrimination Act 1992](#) covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which refers to AS1428.1-Design for Access and Mobility.

7. Stormwater & Ancillary Works – Applications under Section 138 Roads Act and/or Section 68 Local Government Act 1993

To apply for approval under Section 138 of the [Roads Act 1993](#):

- (a) Complete the Works Permit Application Form which can be downloaded from Strathfield Council's Website at www.strathfield.nsw.gov.au.
- (b) In the Application Form, quote the Development Consent No. (eg. DA2020/155) and reference this condition number (e.g. Condition 23)
- (c) Lodge the application form, together with the associated fees at Council's Customer Service Centre, during business hours. Refer to Council's adopted Fees and Charges for the administrative and inspection charges associated

with Works Permit applications.

An approval for a new or modified vehicular crossing will contain the approved access and/or alignment levels which will be required to construct the crossing and/or footpath. Once approved, all work shall be carried out by a private contractor in accordance with Council's specifications prior to the issue of an Occupation Certificate.

The developer must meet all costs of the extension, relocation or reconstruction of any part of Council's drainage system (including design drawings and easements) required to carry out the approved development.

8. Site Safety Fencing

Site fencing must be erected in accordance with SafeWork Guidelines, to exclude public access to the site throughout the demolition and/or construction work, except in the case of alterations to an occupied dwelling. The fencing must be erected before the commencement of any work and maintained throughout any demolition and construction work.

A demolition licence and/or a high risk work license may be required from SafeWork NSW (see www.SafeWork.nsw.gov.au).

9. Register your Swimming Pool

All swimming pools in NSW are required to be registered. Fines apply for pools that are not registered. To register please visit: www.swimmingpoolregister.nsw.gov.au

10. Australia Post – Letter Box Size and Location

The size and location of letterboxes servicing the development are to comply with the requirements and standard of Australia Post (see attached link: https://auspost.com.au/content/dam/auspost_corp/media/documents/Appendix-02.pdf)