

IDAP REPORT

Property:	25A Wallis Avenue Strathfield LOT 1 DP 534392 DA2021.221
Proposal:	Demolition of existing structures and construction of a dwelling house with basement, swimming pool, front fencing and associated landscaping works.
Applicant:	Vision Group Architects
Owner:	J Hanna
Date of lodgement:	27 August 2021
Notification period:	9 September 2021 - 21 September 2021
Submissions received:	Nil
Assessment officer:	L Gibson
Estimated cost of works:	\$1,757,355.00
Zoning:	R2 – Low Density Residential - SLEP 2012
Heritage:	N/A
Flood affected:	No
Is a Clause 4.6 Variation Proposed:	No
RECOMMENDATION OF OFFICER:	APPROVAL




Figure 1: Aerial view of subject site (outlined in yellow) and surrounding residential context

EXECUTIVE SUMMARY

Proposal

Development consent is being sought for the demolition of existing structures and construction of a dwelling house with basement, swimming pool, front fencing and associated landscaping works.

Site and Locality

The site is identified as 25A Wallis Avenue Strathfield and has a legal description of Lot 1 in DP 534392. The site is a regular shaped parcel of land and is located on the western side of Wallis Avenue.

Strathfield Local Environmental Plan

The site is zoned R2 – Low Density Residential under the provisions of Strathfield LEP 2012 and the proposal is a permissible form of development with Council's consent. The proposal satisfies all relevant objectives contained within the LEP.

Development Control Plan

The proposed development generally satisfies the provisions of Strathfield Consolidated DCP 2005. This is discussed in more detail in the body of the report.

Notification

The application was notified in accordance with Council's Community Participation Plan (CPP) from 9 September 2021 - 21 September 2021. No submissions were received during this time.

Issues

- Streetscape

Conclusion

Having regards to the heads of consideration under Section 4.15 of the *Environmental Planning & Assessment Act 1979*, Development Application 2021/221 is recommended for approval subject to suitable conditions of consent.

REPORT IN FULL

Proposal

Council has received an application for the demolition of existing structures and construction of a dwelling house with basement, swimming pool, front fencing and associated landscaping works. More specifically, the proposal includes the following:

Demolition of existing dwelling and rear detached pergola structure.

Construction of a new dwelling house comprising:

Basement level:

- Two (2) car parking spaces with storage space, lift well, stairs and turn table.

Ground floor level:

- Office;
- Entry;
- Guest bedroom;
- Powder room;
- Laundry and interconnected scullery;
- Open plan living, dining and kitchen area.

First floor level:

- 3 bedrooms each with ensuite;
- 1 master retreat with ensuite and WIR.

The internal lift provides access to all 3 levels of the dwelling.

External works:

- Attached rear alfresco area;
- Swimming pool; and
- Associated landscaping works.

A site plan, floor plans and elevations are provided in Figures 2-6 below:




Figure 2: Proposed Roof/Site Plan




Figure 3: Proposed Ground Floor Plan




Figure 4: Proposed First Floor Plan




Figure 5: Proposed Front Elevation Plan



Figure 6: Proposed Northern side Elevation Plan

The Site and Locality

The site is identified as 25A Wallis Avenue Strathfield and has a legal description of Lot 1 in DP 534392. The site is a regular shaped parcel of land with a slight splay toward the front south-eastern boundary. The site is located on the western side of Wallis Avenue. The site provides a frontage width of 17.38m, a depth of 40.23m and an overall site area of 686.4m².

The site is currently occupied by a single storey 70s style dwelling with brown brick face and brown timber parapet and garage door (refer to Figure 7 below). Vehicular access is provided via Wallis Avenue along the southern boundary of the site. The site contains a gradual cross fall to the south-eastern corner of the property toward Wallis Avenue.



Figure 7: Streetscape view of subject site with 25 Wallis Avenue on right.

The streetscape along Wallis Avenue features a suburban, low density residential character presenting a mixture of modern and traditional-style built forms. Existing development in the street are predominantly two (2) storey and contemporary in nature featuring rendered exterior finishes with flat roof forms. Overall, existing dwellings in the immediate streetscape are considered to be of relatively grand proportions as a result of its massing, height and scale (refer to Figures 8-12 below).



Figure 8: Streetscape view of existing dwellings opposite the subject site on Wallis Avenue (36, 38 and 40 Wallis Avenue left to right).



Figure 9: 25 Wallis Avenue located immediately adjoining subject site to the north.



Figure 10: 21 and 19 Wallis Avenue located further north of subject site



Figure 11: 15 and 13 Wallis Avenue located further north of subject site.



Figure 12: 30 Wallis Avenue located further north of subject site on opposite side of the street.

Background

27 August 2021	The subject application was lodged with Council.
9 September 2021 - 21 September 2021	The subject application was notified for a period of 14 days. No submissions were received during this time.
23 September 2021	Deferral Letter sent to the applicant raising the following concerns for the development: <ul style="list-style-type: none"> • Streetscape; • Details of front fence; • Floor to ceiling heights; • Basement height;

- Front setback;
- Landscaping;
- Overshadowing;
- Visual privacy.

7 October 2021

Amended plans and documentation was submitted to Council which adequately addresses the previous concerns raised with the application.

The front portion of the dwelling has been reduced by 750mm in height to achieve a compliant basement height and overall a reduced building height to the front portion of the dwelling. A single level awning has been provided over the front porch entrance to reduce the height and scale of this element as viewed from the streetscape.

Further, the proposed front setback has been increased by 1m from 5.6m to 6.6m to better align with the prevailing setbacks along Wallis Avenue. The amended plans provide for additional landscaping through the site which achieves numeric compliance and is more suited to the scale of the proposed development.

Overall, the proposed scheme as amended achieves improved compatibility with existing dwelling development in the streetscape.

Referrals – Internal and External

Traffic Engineer Comments

The proposal includes construction of a turntable in the basement (refer to Figure 13 below).

Council's Traffic Engineer raised no objection with the proposal subject to imposition of conditions. This includes a condition requiring a Positive Covenant for Mechanical parking Installations to be imposed on the Title of the property. This is to ensure the turntable is constructed in accordance with the approved design and installation requirements as well as to ensure the ongoing maintenance of the turntable on the property.




Figure 13: Proposed basement plan including turntable

Stormwater Engineer Comments

Council's Stormwater Engineer provided the following comments:

"Concept plan is feasible and there are no objections to its approval subject to conditions".

Section 4.15 Assessment – EP&A Act 1979

The following is an assessment of the application with regard to Section 4.15 (1) of the Environmental Planning and Assessment Act 1979.

(1) Matters for consideration – general

In determining an application, a consent authority is to take into consideration such of the following matters as are of relevance to the development the subject of the development application:

- (a) the provision of:**
- (i) any environmental planning instrument,**

Strathfield Local Environmental Plan

The development site is subject to the Strathfield Local Environmental Plan 2012

Part 2 – Permitted or Prohibited Development

Clause 2.1 – Land Use Zones

The subject site is zoned R2 – Low Density Residential and the proposal is a permissible form of development with Council's consent.

Part 4 – Principal Development Standards

Applicable SLEP 2012 Clause	Development Standards	Development Proposal	Compliance/ Comment
4.3 Height of Buildings	9.5m	9.25m	Yes
4.4 Floor Space Ratio	0.60:1 (411.84m ²)	0.57:1 (391.8m ²)	Yes

Part 5 – Miscellaneous Provisions

Heritage Conservation

The subject site is not listed as a heritage item or located within a heritage conservation area. The site does not adjoin nor is in close proximity to a heritage item and as such, the provisions of this clause are not applicable.

Flood Planning

The proposed site has not been identified within the flood planning levels and as such, the provisions of this Clause are not applicable to the subject development.

Part 6 – Additional Local Provisions

Acid Sulfate Soils

The subject site is identified as having Class 5 Acid Sulfate Soils but is not located within 500m of a Class 1, 2 3 or 4 soils. Therefore, Development Consent under the provisions of this section is not required and as such an Acid Sulfate Soils Management Plan is not required.

Earthworks

The proposal involves significant excavation works for the provision of a basement, driveway ramps and ancillary works. The extent of excavation has been limited to the footprint of the ground floor above and access to and from the basement. The depth of excavation has been kept to minimum requirements to comply with Council's DCP controls and all ancillary works have been limited to what is required to provide access to and from the basement. The proposed works are unlikely to disrupt or effect existing drainage patterns or soil stability in the locality or effect the future use or development of the land. It is unlikely to effect the existing and likely amenity of adjoining properties and there is no potential for adverse impacts on any waterways, drinking water catchment or environmentally sensitive areas. The proposed excavation works are considered to satisfactorily address the objectives of this clause.

Essential Services

Clause 6.4 of the SLEP 2012 requires consideration to be given to the adequacy of essential services available to the subject site. The subject site is located within a well serviced area and features existing water and electricity connection and access to Council's stormwater drainage system. As such, the subject site is considered to be adequately serviced for the purposes of the proposed development

It is considered that the proposed development satisfies the aims, objectives and development standards, where relevant, of the Strathfield LEP 2012.

STATE ENVIRONMENTAL PLANNING POLICY (BUILDING SUSTAINABILITY INDEX: BASIX) 2004

A BASIX Certificate has been issued for the proposed development and the commitments required by the BASIX Certificate have been satisfied.

STATE ENVIRONMENTAL PLANNING POLICY NO. 55 – REMEDIATION OF LAND (SEPP 55)

SEPP 55 applies to the land and pursuant to Section 4.15 is a relevant consideration.

A review of the available history for the site gives no indication that the land associated with this development is contaminated. There were no historic uses that would trigger further site investigations.

The objectives outlined within SEPP55 are considered to be satisfied.

STATE ENVIRONMENTAL PLANNING POLICY (VEGETATION IN NON-RURAL AREAS) 2017

State Environmental Planning Policy (Vegetation in Non-Rural Areas) 2017 replaces the repealed provisions of clause 5.9 of SLEP 2012 relating to the preservation of trees and vegetation.

The intent of this SEPP is consistent with the objectives of the repealed Standard where the primary aims/objectives are related to the protection of the biodiversity values of trees and other vegetation on the site.

The proposed development does not result in the removal or loss of any trees or vegetation subject to the provision of this SEPP. Standard conditions of consent will be imposed to ensure the protection and retention of the two (2) Council street trees forward of the site.

The aims and objectives outlined within the SEPP are considered to be satisfied.

(ii) any draft environmental planning instrument that is or has been placed on public exhibition and details of which have been notified to the consent authority, and

There are no draft planning instruments that are applicable to this site.

(iii) any development control plan,

The proposed development is subject to the provisions of the Strathfield Consolidated Development Control Plan 2005. The following comments are made with respect to the proposal satisfying the objectives and controls contained within the DCP.

Applicable DCP Controls	DCP Controls	Development Proposal	Compliance/ Comment
Building Envelope			
Heights:			
Floor to ceiling heights:	3.0m	6.2m	No – refer discussion below
Height to underside of eaves:	7.2m	6.16m to predominant eave to the dwelling façade.	Yes
Parapet height:	0.8m	1.4m	No – refer discussion below
Overall height for flat roof dwelling:	7.8m	9.25m	No – refer discussion below
Basement height above NGL:	1.0m	995mm	Yes
Number of Storeys/Levels:	2	2	Yes
Setbacks:			
Front:	9m	6.6m	No – refer to discussion below.
Side:	1.2m (min) N	1.58m – 2.28m	Yes
Side:	1.2m (min)S	1.2 – 1.96m	Yes
Combined Side Setback:	3.47m (20%)	2.98m – 8.39m	No – refer to discussion below

Rear:	6m	8.42m	Yes
Landscaping			
Landscaping/Deep soil Provisions:	41.5% (284.9m ²)	44.67% (306.6m ²)	Yes
Fencing			
Height (overall/piers):	1.5m (maximum)	1.71m	No
Solid Component:	0.7m	1.71m	No – refer to discussion below.
Secondary Frontage:	1.8m	1.8m	Yes
Solar Access			
POS or habitable windows	3hrs to habitable windows and to 50% of POS	The proposal will enable adjoining properties to receive 3 hours solar access through the day	Yes
Vehicle Access and Parking			
Driveway width at Boundary:	3m	3m	Yes
Vehicular Crossing:	1	1	Yes
Driveway setback – side:	0.5m	2.5m	Yes
No. of Parking Spaces:	2	2	Yes
Basement:			
Basement protrusion:	Less than 1.0m	995mm	Yes
Basement ramp/driveway	3.5m	3m	Yes
Internal height:	2.2m	2.23m	Yes
Ancillary Development			
SWIMMING POOL			
Side/Rear Setback	1.0m	1.0m	Yes

Streetscape

The proposal results in an overall building height of 9.25m, a parapet height of 1.4m and void spaces which attain a floor to ceiling height of 6.2m. This is contrary to the requirements of the SCDCP 2005.

With regards the building height, the proposed 9.25m height is considered acceptable notwithstanding its non-compliance with the 7.8m building height required for flat roofed dwellings. The intent of this control is to avoid large expanses of unarticulated building wall and to reduce the apparent bulk and height where possible so to achieve compatibility with the streetscape. The proposed floor to ceiling heights are notably non-compliant. The void spaces to the dwelling are contained to the entry foyer and the north wing of the dwelling pertaining to the open plan living and dining area. The floor to ceiling heights are 6.2m and 4.5m respectively.

With regard to building height and void spaces, the intent of SCDCP streetscape controls is to achieve a built form which is compatible with the prevailing height, bulk and scale of dwellings in the street. Whilst not numerically compliant with the streetscape controls, the proposed

development is well articulated through its variation roof lines, setbacks (front and side), building materials and colours to break the apparent height and bulk of the development where possible.

Further, dwellings in the immediate streetscape of Wallis Avenue are of grand proportions and present as relatively contemporary-style dwellings with similar massing, heights and presentation to that of the proposed development (refer to figure 14 below which demonstrates how the height of the new dwelling will align with the existing dwelling at 25 Wallis Avenue). Overall, the proposal is considered acceptable in this instance notwithstanding its numeric non-compliances.



Figure 14: Streetscape Elevation Plan

Front Setback

The proposal seeks a front setback of 6.6m. Section 4.2.3.1 of the SCDPC 2005 enables the front setback to be less than 9m in the instance where the predominant front setback of development in the street or the setback of the existing dwelling is less than 9m. The front setbacks along the western side of Wallis Avenue vary between 6.6m (immediately north) – 11.4m. It is therefore considered appropriate for the dwelling to align with the prevailing 6.6m setback provided by the dwelling at 25 Wallis Avenue. Thus, the proposed 6.6m setback is considered acceptable in this instance.

Landscaping and Open Space

The proposed development satisfies the relevant objectives and controls of the SCDPC 2005. The development is considered to enhance the existing streetscape, adequate areas for deep soil planting have been provided and can accommodate large canopy trees and where possible trees have been retained and protected.

Fencing

The proposed fence height varies between 1.33m – 1.71m due to the sloping nature of the site. Whilst not numerically compliant with the maximum 1.5m height fencing requirements, the fence height and design is commensurate with existing fencing heights and styles in the streetscape which range from 1.5m – 1.8m in height. The fence design incorporates planter beds along the front property boundary and forward of the front fence which will further assist in breaking the apparent bulk of the fence as viewed from the street. Overall, the proposed

fence is considered appropriate to the scale and style of the dwelling as well as existing development in the streetscape and is acceptable in this regard.



Figure 15: Front fence elevation plan
Solar Access

The site is orientated east-west however, is appropriately positioned to minimise overshadowing to southern adjoining properties where possible.



Figure 16: Existing shadow diagrams



Figure 17: Shadow diagrams showing proposed development

Adequate solar access is also achieved and thus the proposal is considered to generally satisfy the relevant objectives and controls of the SCDP 2005.

Privacy

The proposed development satisfies the relevant objectives and controls of the SCDP 2005, in that adequate privacy is maintained between adjoining properties and any potential overlooking is minimised. Windows are offset from adjoining dwellings where required, they are screened, obscured or off low active use rooms so as not to negatively impact on adjoining properties. The first floor balcony is limited in size and provided with 2.5m fixed vertical louvres along the northern side elevation wall. The rear balcony is unlikely to impact on the amenity or privacy of the adjoining dwellings whilst providing good amenity to the occupant of the dwelling.

Vehicular access, Parking and Basements

The proposed development satisfies the relevant objectives and controls of the SCDP 2005 in that it provides the minimum number of required parking spaces and adequate vehicular access provisions. The basement design was amended during the assessment process to achieve a compliant 995mm protrusion above NGL. The proposed basement does not exceed beyond the ground floor above and has been designed to enable cars to enter and exit the site in a forward direction (refer to Figure 18 below). A turn table in this instance is considered acceptable and must be maintained via a registered covenant on the site as imposed by conditions of consent. The basement achieves a compliant internal clearance height of 2.32m.




Figure 18: Proposed basement design

Cut and fill

The proposed development is considered to satisfy the relevant objectives and controls of the SCDP 2005, in that the need for cut and fill has been kept to a minimum and existing ground levels have been maintained where appropriate to reduced site disturbance. Existing trees and shrubs have been retained where possible and ground water tables are maintained and impact on overland flow and drainage is minimised.

Water and Soil Management

The proposed development satisfies the relevant objectives and controls of the SCDP 2005 and complies with Council's Stormwater Management Code. A soil erosion plan has been submitted with the application to prevent or minimise soil disturbances during construction.

Access, Safety and Security

The proposed development satisfies the relevant objectives and controls of the SCDP 2005. Separate pedestrian and vehicle access provisions are provided, passive surveillance of the public street has been provided providing safety and perception of safety in the street.

ANCILLARY STRUCTURES

Swimming Pools

The proposed development satisfies the relevant objectives and controls with SCDP 2005. The pool has been adequately setback from all adjoining boundaries, allowing for screen panting along the northern and western property boundaries. The submitted plans do not detail the location of the pool pump and equipment thus, a condition of consent is imposed to ensure that they are appropriately located and designed so as to minimise impacts on adjoining neighbours. The pool coping has been designed to suit the existing ground level of the site. The swimming pool fence/enclosure appear to comply with the swimming pools act and relevant standards.

PART H – Waste Management (SCDCP 2005)

In accordance with Part H of Strathfield CDCP 2005, a waste management plan was submitted with the application. The plan details measure for waste during demolition and construction, and the on-going waste generated by the development during its use. It is considered that this plan adequately address Part H and considered satisfactory.

(iv) *Any matters prescribed by the regulations, that apply to the land to which the development application relates,*

The requirements of Australian Standard AS2601–1991: *The Demolition of Structures* is relevant to the determination of a development application for the demolition of a building.

The proposed development does involve the demolition of a building. Should this application be approved, appropriate conditions of consent may be imposed to ensure compliance with the requirements of the above standard.

(b) *the likely impacts of that development, including environmental impacts on both the natural and built environments, and social and economic impacts in the locality,*

The proposed development is of a scale and character that is in keeping with other developments being constructed in the locality. Accordingly, the proposal is not considered to have a significant impact on the natural and built environment or any negative social or economic impacts on the locality.

(c) *the suitability of the site for the development,*

It is considered that the proposed development is of a scale and design that is suitable for the site having regard to its size and shape, its topography, vegetation and relationship to adjoining developments.

(d) *any submissions made in accordance with this Act or the regulations,*

In accordance with the provisions of Councils Community Participation Plan, the application was placed on neighbour notification for a period of fourteen days where adjoining property owners were notified in writing of the proposal and invited to comment. No submissions were received during this time.

(e) *the public interest.*

The proposed development is of a scale and character that does not conflict with the public interest.

Local Infrastructure Contributions

Section 7.13 of the EP&A Act 1979 relates to the collection of monetary contributions from applicants for use in developing key local infrastructure. This section prescribes in part as follows:

A consent authority may impose a condition under section 7.11 or 7.12 only if it is of a kind allowed by, and is determined in accordance with, a contributions plan (subject to any direction of the Minister under this Division).

STRATHFIELD INDIRECT SECTION 7.12 CONTRIBUTIONS PLAN

Date: 16 November 2021

The following conditions of consent are imposed for the following reasons:

- (a) To ensure compliance with the terms of the relevant Environmental Planning Instrument and/or Building Code of Australia and/or Council's codes, policies and specifications.
- (b) To protect the environment.
- (c) To ensure that there is no unacceptable impact on the amenity of the area, or to private and public property.
- (d) It is in the public interest.

DEVELOPMENT DETAILS

1. Approved Plans & Documentation

The development must be implemented in accordance with the approved plans and supporting documentation listed below which have been endorsed by Council's approved stamp, except where marked up on the plans and/or amended by conditions of this consent:

Description	Reference No.	Date	Revision	Prepared by
Ground Floor + Basement Floor Plan	Sheet 01	June 2021	B	InVision Group
Roof Site + First Floor Plan	Sheet 02	June 2021	B	InVision Group
Elevations + Finishes Schedule + Section A-A	Sheet 03	June 2021	B	InVision Group
Section B-B	Sheet 03A	June 2021	B	InVision Group
BASIX Certificate	1229266S	11 August 2021		
Stormwater Management Plan	Sheets 1-8	June 2021	A	NY Civil Engineering
Waste Management Plan	Job No.1377			InVision Group

SEPRARATE APPROVALS REQUIRED UNDER OTHER LEGISLATION

2. Section 138 Roads Act 1993 and Section 68 Local Government Act 1993

Unless otherwise specified by a condition of this consent, this Development Consent does not give any approval to undertake works on public infrastructure.

Separate approval is required under Section 138 of the [Roads Act 1993](#) and/or Section 68 of the [Local Government Act 1993](#) for any of the following activities carried out in, on or over a public road (including the footpath) listed below.

An application is required to be lodged and approved prior to the commencement of any of the following works or activities;

- (a) If any excavation is to be supported by the use of below ground (cable) anchors that are constructed under Council's roadways/footways.
- (b) Swinging or hoisting goods over any part of a public road by means of a lift, crane or the like;
- (c) Establishing a "works zone";
- (d) Placing or storing materials or equipment;
- (e) Placing or storing waste containers or skip bins;
- (f) Stormwater & ancillary to public infrastructure on private land
- (g) Erecting a structure or carrying out work

These separate activity approvals (a)-(g) must be obtained and evidence of the approval provided to the Certifying Authority prior to the issue of the Construction Certificate.

- (h) Pumping water from the site into the public road;
- (i) Constructing a vehicular crossing or footpath;
- (j) Digging up or disturbing the surface of a public road (e.g. Opening the road for the purpose of connections to utility providers);
- (k) Stormwater & ancillary works in the road reserve; and
- (l) Pumping concrete from a public road;

These separate activity approvals must be obtained and evidence of the approval provided to the Certifying Authority prior to the activities commencing.

The relevant Application Forms for these activities can be downloaded from Council's website www.strathfield.nsw.gov.au. For further information, please contact Council's Customer Service Centre on (02) 9748 9999.

3. Vehicular Crossing - Minor Development

Constructing a vehicular crossing and/or footpath requires a separate approval under Section 138 of the [Roads Act 1993](#) prior to the commencement of those works.

To apply for approval, complete the *Works Permit Application Form* which can be downloaded from Strathfield Council's Website at www.strathfield.nsw.gov.au. Lodge the application form, together with the associated fees at Council's Customer Service Centre, during business hours. Refer to Civic & Urban Services Section in Council's adopted *Fees and Charges* for the administrative and inspection charges associated with *Works Permit* applications.

An approval for a new or modified vehicular crossing will contain the approved access and/or alignment levels which will be required to construct the crossing and/or footpath. Once approved, all work shall be carried out in accordance with Council's specifications applicable at the time, prior to the issue of an Occupation Certificate.

REQUIREMENTS OF CONCURRENCE, INTEGRATED & OTHER GOVERNMENT AUTHORITIES

4. Sydney Water – Tap in™

The approved plans must be submitted to a Sydney Water Tap in™ to determine whether the development application will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately endorsed. For details please refer to 'Plumbing, building and developing' section of Sydney Water's web site at www.sydneywater.com.au then see 'Building', or telephone 13000 TAP IN (1300 082 746). The Certifying Authority must ensure that a Tap in™ agent has appropriately stamped the plans prior to the issue of the Construction Certificate.

PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

5. Fees to be Paid

The fees listed in the table below must be paid in accordance with the conditions of this consent and Council's adopted Fees and Charges applicable at the time of payment (available at www.strathfield.nsw.gov.au).

Payments must be made prior to the issue of the Construction Certificate or prior to the commencement of work (if there is no associated Construction Certificate).

Please contact council prior to the payment of s7.11 or s7.12 Contributions to determine whether the amounts have been indexed from that indicated below in this consent and the form of payment that will be accepted by Council.

A summary of the fees to be paid are listed below:

Fee Type	Fee
GENERAL FEES	
Long Service Levy (to Long Service Corporation) Or, provide evidence of Payment direct to the Long Service Corporation. See https://longservice.force.com/bci/s/levy-calculator	\$ 6,150.00
Security Damage Deposit	\$ 15,000.00
Tree Bond	\$ 20,300.00
Administration Fee for Damage Deposit	\$ 130.00
Administration Fee for Tree Bond	\$ 130.00

DEVELOPMENT CONTRIBUTIONS	
Strathfield Section 94A Indirect Development Contributions Plan 2017	\$ 17,573.55

General Fees

The fees and charges above are subject to change and are as set out in the version of Council's Schedule of Fees and Charges or as required by other Government Authorities, applicable at the time of payment.

Development Contributions

A Section 7.12 contribution has been levied on the subject development pursuant to the Strathfield Section 94A Indirect Development Contributions Plan.

Indexation

The above contributions will be adjusted at the time of payment to reflect changes in the cost of delivering public amenities and public services, in accordance with the indices provided by the relevant Development Contributions Plan.

Timing of Payment

The contribution must be paid and receipted by Council:

- Prior to the release of the Construction Certificate.

Further Information

A copy of the *current Development Contributions Plans* may be inspected at Council's Customer Service Centre at 65 Homebush Road, Strathfield or on Council's website www.strathfield.nsw.gov.au.

6. Damage Deposit – Minor Works

In order to insure against damage to Council property the following is required:

- (a) Pay Council, before the issue of the Construction Certificate, a damage security deposit for the cost of making good any damage caused to any Council property as a result of the development: \$15,000.00
- (b) Pay Council, before the issue of the Construction Certificate, a non-refundable administration fee to enable assessment of any damage and repairs where required: \$130.00
- (c) Submit to Council, before the commencement of work, a photographic record of the condition of the Council nature strip, footpath and driveway crossing, or any area likely to be affected by the proposal.

At the completion of work Council will inspect the public works, and the damage deposit will be refunded in full upon completion of work where no damage occurs. Otherwise the amount will be either forfeited or partly refunded according to the amount of damage.

7. Tree Bond

A tree bond of \$20,300.00 (Council street trees) (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

A sound protection barrier anchored firmly into the ground 1.8m in height x 2 metres clear of the base of the tree at any one point and that the fence is to extend up to the back of the kerb and to the edge of the footpath.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A request for refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

8. Site Management Plan

Minor Development

A Site Management Plan detailing all weather access control points, sedimentation controls, waste management plans, fencing, builder's site sheds office, amenities, materials storage and unloading arrangements must be submitted with the application for the Construction Certificate.

9. BASIX Commitments

The approved BASIX Certificate shall be submitted to the Accredited Certifier with the application for a Construction Certificate.

All measures and commitments as detailed in the BASIX Certificate No. 1229266S must be implemented on the plans lodged with the application for the Construction Certificate.

10. Erosion & Sedimentation Control

Erosion and sediment controls must be provided to ensure:

- (a) Compliance with the approved Erosion & Sediment Control Plan
- (b) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval)
- (c) All clean water run-off is diverted around cleared or exposed areas
- (d) Silt fences, stabilised entry/exit points or other devices are installed to prevent sediment from entering drainage systems or waterways
- (e) All erosion and sediment controls are fully maintained for the duration of demolition, excavation and/or development works
- (f) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadway
- (g) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar
- (h) Compliance with [Managing Urban Stormwater – Soils and Construction \(Blue Book\) produced by Landcom 2004.](#)

These measures are to be implemented prior to the commencement of work (including demolition and excavation) and must remain until works are completed and all exposed surfaces are landscaped/sealed.

11. Stormwater System

The submitted stormwater plan has been assessed as a concept plan only. Final detailed plans of the drainage system in accordance with Council stormwater management code and AS/NZS 3500.3: 2015 (as amended), prepared by a professional engineer specialising in hydraulic engineering, shall be submitted for approval with the Construction Certificate.

12. Pump-Out System Design for Stormwater Disposal

The design of the pump-out system for storm water disposal will be permitted for drainage of basement areas only, and must be designed in accordance with the following criteria:

- (a) The pump system shall consist of two pumps, connected in parallel, with each pump being capable of emptying the holding tank at the rate equal to the rate of inflow for the one-hour duration storm. The holding tank shall be capable of holding four hour's runoff from a one-hour duration storm of the 1 in 100 year storm;
- (b) The pump system shall be regularly maintained and serviced, every six (6) months; and
- (c) Any drainage disposal to the street gutter from a pump system must have a stilling sump provided at the property line, connected to the street gutter by a suitable gravity line.

Details and certification of compliance from a professional engineer specialising in civil engineering shall be provided for approval with the Construction Certificate application.

13. Stormwater Drainage Plan Details

Stormwater drainage plans including pipe sizes, type, grade, length, invert levels, dimensions and types of drainage pits prepared by a professional engineering specialising in hydraulic engineering shall be submitted with the Construction Certificate application.

These plans shall be prepared in accordance with the Australian Institute of Engineers Australian Rainfall and Runoff (1987) and Council's Stormwater Management Code.

14. Compliance with Swimming Pool Act 1992

The alterations and additions to the dwelling house and/or the construction of the new dwelling house subject of this consent must not generate any non-compliances with the Swimming Pools Act 1992, Swimming Pool Regulation 2018 and the Building Code of Australia. Details of compliance to be illustrated on the plans lodged with the application for the Construction Certificate.

15. Structural Details

Engineer's details prepared by a practising Structural Engineer being used to construct all reinforced concrete work, structural beams, columns & other structural members. The details are to be submitted to the Principal Certifying Authority for approval prior to construction of the specified works.

A copy shall be forwarded to Council where Council is not the PCA.

16. Swimming Pools – Use and Maintenance

The following apply to the construction, use and maintenance of swimming pools and spas:

- (a) no ground level may be raised or filled except where shown specifically on the approved plans;
- (b) all pool/spa waste water is to be discharged to the sewer according to the requirements of Sydney Water;

- (c) the swimming pool must not be used for commercial or professional purposes;
- (d) drain paved areas to the landscaped areas or a suitable lawful drainage system; and
- (e) arrange any external pool/spa lighting to minimise glare nuisance to adjoining owners.

17. Off Street Parking – Compliance with AS2890

All driveways, access ramps, vehicular crossings and car parking spaces shall be designed and constructed in accordance with the current version of Australian Standards, AS 2890.1 (for car parking facilities), AS 2890.6 (parking for people with disabilities) and AS 2890.2 (for commercial vehicle facilities).

18. Positive Covenant for Mechanical Parking Installations (OC)

Prior to the issue of any Occupation Certificate, the applicant shall register a Positive Covenant and a Restriction as to User under section 88E and or section 88B of the Conveyancing Act as appropriate in favour of Council, ensuring the ongoing retention, maintenance and operation of the mechanical parking installations (vehicle turntables, car lifts, ramp traffic signal system, car stackers, etc.). On completion of construction work, mechanical parking installations are to be certified by a professional engineer with works-as-executed drawings supplied to the Principal Certifier detailing:

- a) Compliance with conditions of development consent relating to mechanical parking installations including vehicle turntables, car lifts, ramp traffic signal systems, and car stackers.
- b) That the works have been constructed in accordance with the approved design.
- c) Binding the owners and future owners to be responsible for ongoing maintenance required in terms of the mechanical parking installations.

19. Landscape Plan

A detailed landscape plan, drawn to scale, by a qualified landscape architect or landscape designer, must be submitted prior to the issue of the Construction Certificate. The plan must include:

- (a) Location of existing and proposed structures, services and existing trees;
- (b) Details of earthworks including mounding and retaining walls and planter boxes;
- (c) Location of proposed plants and a plant schedule showing the plant symbol, botanical name/ common name; quantity; pot size/; and mature height x width.
- (d) Details of planting procedure and maintenance;
- (e) Landscape specification;
- (f) Details of drainage and watering systems;
- (g) Details of garden edging and turf; and
- (h) Any required fencing, retaining walls and other structures not shown on other approved architectural and engineering plans.

20. Tree Removal/Pruning Prohibited

This consent does not approve the removal or pruning (branches or roots) of any trees on the subject property, Council's public footway, public reserves or on neighbouring properties.

21. Tree Protection and Retention

The following trees shall be retained and protected:

Tree No.	Location of Tree
Council Street trees x 2	Front Council verge

Details of the trees to be retained must be included on the Construction Certificate plans.

General Tree Protection Measures

- (a) All trees to be retained shall be protected and maintained during demolition, excavation and construction of the site.
- (b) The tree protection measures must be undertaken in accordance *AS4970 -2009 Protection of trees on development sites*.
- (c) Details of the tree protection measures to be implemented must be provided with the application for a Construction Certificate by a suitably qualified Arborist (AQF Level 5 or above in Arboriculture).
- (d) The Arborist must be present on-site during the stages of construction when works are being undertaken that could impact on the tree canopy or root zone within the tree protection zone to implement the tree protection measures as required.
- (e) Unless otherwise specified in AS 4970-2009, a protective fence consisting of 1.8 metres high, fully supported chainmesh fence shall be erected around the base of the tree. The distance of the fence from the base of each tree is to be in accordance with the TPZ listed in the table above. A layer of organic mulch 100 millimetres thick shall be placed over the protected area and no soil or fill should be placed within the protection area.
- (f) No services shall be installed within the TPZ of the tree unless approved by Council. This fence shall be kept in place during demolition, construction and also have a sign displaying 'Tree Protection Zone' attached to the fence and must also include the name and contact details of the Project Arborist.

PRIOR TO THE COMMENCEMENT OF WORK (INCLUDING DEMOLITION & EXCAVATION)

22. Demolition & Asbestos

The demolition work shall comply with the provisions of Australian Standard AS2601:2001 – Demolition of Structures, NSW [Work Health & Safety Act 2011](#) and the NSW [Work Health & Safety Regulation 2011](#). The work plans required by AS2601:2001 shall be accompanied by a written statement by a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the safety statement shall be submitted to the PCA prior to the commencement of works.

For demolition work which involves the removal of asbestos, the asbestos removal work must be carried out by a licensed asbestos removalist who is licensed to carry out the work in accordance with the NSW [Work Health & Safety Act 2011](#) and the NSW [Work Health & Safety Regulation 2011](#) unless specified in the Act and/or Regulation that a license is not required.

All demolition work including the removal of asbestos, shall be undertaken in accordance with the [Demolition Code of Practice](#) (NSW Work Cover July 2015)

Note: Copies of the Act, Regulation and Code of Practice can be downloaded free of charge from the SafeWork NSW website: www.SafeWork.nsw.gov.au.

23. Demolition Notification Requirements

The following notification requirements apply to this consent:

- (a) The developer /builder must notify adjoining residents five (5) working days prior to demolition. Such notification is to be a clearly written note giving the date demolition will commence, contact details of the developer/builder, licensed asbestos demolisher and the appropriate regulatory authority. Notification is to be placed in the letterbox of every premises (including every residential flat or unit, if any) either side and immediately at the rear of the demolition site.
- (b) Five (5) working days prior to demolition, the developer/builder is to provide written notification to Council advising of the demolition date, details of the SafeWork licensed asbestos demolisher and the list of residents advised of the demolition.
- (c) On demolition sites where buildings to be demolished contain asbestos, a standard commercially manufactured sign containing the words "DANGER ASBESTOS REMOVAL IN PROGRESS" measuring not less than 400mm x 300mm is to be erected in a prominent visible position (from street frontage) on the site. The sign is to be erected prior to demolition work commencing and is to remain in place until such time as all asbestos material has been removed from the site to an approved waste facility.

24. Demolition Work Involving Asbestos Removal

Work involving bonded asbestos removal work (of an area of more than 10 square metres) or friable asbestos removal work must be undertaken by a person who carries on a business of such removal work in accordance with a licence under clause 458 of the [Work Health and Safety Regulation 2011](#).

25. Dial Before You Dig

The applicant shall contact "Dial Before You Dig on 1100" to obtain a Service Diagram prior to the issuing of the Construction Certificate. The sequence number obtained from "Dial Before You Dig" shall be forwarded to Council's Engineers for their records.

26. Registered Surveyors Report - During Development Work

A report must be submitted to the PCA at each of the following applicable stages of construction:

- (a) Set out before commencing excavation.
- (b) Floor slabs or foundation wall, before formwork or commencing brickwork.
- (c) Completion of Foundation Walls - Before any construction of flooring, detailing the location of the structure relative to adjacent boundaries and floor levels relative to

the datum shown on the approved plans.

- (d) Completion of Floor Slab Formwork - Before pouring of concrete/walls construction, detailing the location of the structure relative to adjacent boundaries and floor levels relative to the datum shown on the approved plans. In multi-storey buildings a further survey must be provided at each subsequent storey.
- (e) Completion of any Pool Formwork - Before concreting of pool shell, detailing the location of the pool relative to the adjacent boundaries and its height relative to the datum shown on the approved plans.
- (f) Completion of any Roof Framing - Before roof covered detailing eaves/gutter setback from boundaries.
- (g) Completion of all Work - Detailing the location of the structure (including eaves/gutters) relative to adjacent boundaries and its height relative to the datum shown on the approved plans. A final Check Survey must indicate the reduced level of the main ridge.

Work must not proceed beyond each stage until the PCA is satisfied that the height and location of the building is proceeding in accordance with the approved plans.

DURING CONSTRUCTION

27. Site Sign – Soil & Erosion Control Measures

Prior to the commencement of works (including demolition and excavation), a durable site sign, issued by Council in conjunction with this consent, must be erected in a prominent location on site. The site sign warns of the penalties which apply to pollution, storing materials on road or footpath and breaches of the conditions relating to erosion and sediment controls. The sign must remain in a prominent location on site up until the completion of all site and building works.

28. Hours of Construction for Demolition and Building Work

Any work activity or activity associated with the development consent that requires the use of any tools (including hand tools) or any power operated plant and machinery that creates noise on or adjacent to the site shall not be performed, or permitted to be performed, except between the hours of 7.00 am to 5.00 pm, Monday to Friday and 8:00am to 1:00pm on Saturdays. No work or ancillary activity is permitted on Sundays, or Public Holidays.

Where the development involves the use of jack hammers/rock breakers and the like, or other heavy machinery, such equipment may only be used between the hours of 7:00am to 5:00pm Monday to Friday only.

Note: A penalty infringement notice may be issued for any offence.

29. Ground Levels and Retaining Walls

The ground levels of the site shall not be excavated, raised or filled, or retaining walls constructed on the allotment boundary, except where indicated on approved plans or approved by Council.

30. Obstruction of Road or Footpath

The use of the road or footpath for the storage of any building materials, waste materials, temporary toilets, waste or skip bins, or any other matter is not permitted unless separately approved by Council under Section 138 of the [Roads Act 1993](#) and/or under Section 68 of the [Local Government Act 1993](#). Penalty infringement Notices may be issued for any offences and severe penalties apply.

31. Swimming Pools – Filling with Water

The pool/spa shall not be filled until the safety fences have been completed in accordance with the approved plans and specifications and inspected by the PCA.

PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

32. BASIX Certificate

All energy efficiency measures as detailed in the approved BASIX Certificate in the plans approved with the Development Consent, must be implemented before issue of any Occupation Certificate.

33. Completion of Landscape Works

The approved landscape works have identified that the side setback area between the dwelling and boundary be nominated as landscaped area to ensure compliance with the minimum landscape area requirements. In this regard, this area shall be maintained as landscaped area and can only be used for growing plants, grasses and trees and cannot include any building, structure or hard paving (including rainwater tanks, air-conditioning units of ground mounted hot water systems).

At the completion of all works, a certificate is to be submitted to the Principal Certifying Authority from a qualified Landscape and/or Arboricultural Consultant certifying that the work has been completed in accordance with the approved Landscape Plan and that a maintenance program has been established.

34. Minor Development

Internal driveways and parking spaces are to be adequately paved with concrete or bitumen, or interlocking pavers to provide a dust-free surface.

35. Stormwater Certification of the Constructed Drainage Works (Minor)

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

36. Stormwater Drainage Works – Works As Executed

Prior to the issue of the Occupation Certificate, stormwater drainage works are to be certified by a professional engineer specialising in hydraulic engineering, with Works-As-Executed drawings supplied to Council detailing:

- (a) Compliance with conditions of development consent relating to stormwater;

- (b) The structural adequacy of the On-Site Detention system (OSD);
- (c) That the works have been constructed in accordance with the approved design and will provide the detention storage volume and attenuation in accordance with the submitted calculations;
- (d) Pipe invert levels and surface levels to Australian Height Datum;
- (e) Contours indicating the direction in which water will flow over land should the capacity of the pit be exceeded in a storm event exceeding design limits.

Council's Engineering Services section must advise in writing that they are satisfied with the Works-As-Executed prior to the issue of an Occupation Certificate.

37. Works as Executed and Certification of Stormwater Works

Prior to the issue of an Occupation Certificate, the PCA must ensure that the stormwater drainage system has been constructed in accordance with the approved design and relevant Australian Standards. A works-as-executed drainage plan and certification must be forwarded to the PCA and Council, from a professional engineer specialising in hydraulic engineering.

This Plan and Certification shall confirm that the design and construction of the stormwater drainage system satisfies the conditions of development consent and the Construction Certificate stormwater design details approved by the PCA.

The works-as-executed drainage plan must be prepared by a professional engineer specialising in hydraulic engineering in conjunction with a Registered Surveyor and must include the following details (as applicable):

- (a) The location of any detention basin/s with finished surface levels;
- (b) Finished site contours at 0.2 metre intervals (if applicable)
- (c) Volume of storage available in any detention areas;
- (d) The location, diameter, gradient and material (i.e. PVC, RC etc.) of all stormwater pipes;
- (e) The orifice size/s (if applicable);
- (f) Details of any infiltration/absorption systems; and (if applicable);
- (g) Details of any pumping systems installed (including wet well volumes) (if applicable).

38. Vehicular Crossing - Minor Development

The vehicular crossing and/or footpath works shall be constructed by a private contractor at the expense of the applicant, in accordance with the Works Permit Approval issued by Council's Civic & Urban Services and in accordance with Council's Driveway Specifications.

Any existing vehicular crossing and/or laybacks which are redundant must be removed. The kerb and gutter, any other footpath and turf areas shall be restored at the expense of the applicant and in accordance with Council's Driveway Specifications.

The work must be completed before the issue of an Occupation Certificate.

39. Requirements Prior to the Issue of the Occupation Certificate

The following shall be completed and or submitted to the PCA prior to the issue of the Occupation Certificate:

- (a) All the stormwater/drainage works shall be completed in accordance with the approved Construction Certificate plans prior to the issue of the Occupation Certificate.
- (b) The internal driveway construction works, together with the provision for all services (conduits and pipes laid) shall be completed in accordance with the approved Construction Certificate plans prior to the issue of the Occupation Certificate.
- (c) Construct any new vehicle crossings required.
- (d) Replace all redundant vehicle crossing laybacks with kerb and guttering, and replace redundant concrete with turf.
- (e) Work as Executed Plans prepared by a Chartered Professional Engineer or a Registered Surveyor when all the site engineering works are complete shall be submitted to the PCA prior to the issue of the Occupation Certificate.
- (f) The construction of the dwelling driveway works shall be completed in accordance with the conditions and specifications of the Section 68 Activity Approval.

40. Electricity Supply

Evidence shall be provided demonstrating that the development has been connected to the Ausgrid, if required.

OPERATIONAL CONDITIONS (ON-GOING)

41. Maintenance of Landscaping

All trees and plants forming part of the landscaping must be maintained. Maintenance includes watering, weeding, removal of rubbish from tree bases, fertilizing, pest and disease control, replacement of dead or dying plants and any other operations required to maintain healthy trees, plants and turfed areas.

42. Swimming Pools – Resuscitation Notice

An expired air resuscitation warning notice complying with the [Swimming Pools Act 1992](#) must be affixed in a prominent position adjacent to the pool.

43. Private Swimming Pools & Spas – Pump Noise

The swimming pool/spa pump and associated equipment must be located so that the noise emitted does not exceed 5dB(A) above the background level. If this cannot be achieved, a ventilated and sound-proofed enclosure must enclose the pump to achieve the required noise levels.

Swimming pool is to be installed with a timer that limits the recirculation and filtration systems operation such that it does not emit noise that can be heard within a habitable room in any

other residential premises (regardless of whether any door or window to that room is open):

- (a) before 8 am or after 8 pm on any Sunday or public holiday, or
- (b) before 7 am or after 8 pm on any other day.

OPERATIONAL REQUIREMENTS UNDER THE ENVIRONMENTAL PLANNING & ASSESSMENT ACT 1979

44. Requirement for a Construction Certificate

The erection of a building must not commence until a Construction Certificate has been issued.

45. Appointment of a PCA

The erection of a building must not commence until the applicant has:

- (a) appointed a PCA for the building work; and
- (b) if relevant, advised the PCA that the work will be undertaken as an Owner -Builder.

If the work is not going to be undertaken by an Owner - Builder, the applicant must:

- (c) appoint a Principal Contractor to undertake the building work. If residential building work (within the meaning of the [Home Building Act 1989](#)) is to be undertaken, the Principal Contractor must be a holder of a contractor licence; and
- (d) notify the PCA of the details of any such appointment; and
- (e) notify the Principal Contractor of any critical stage inspections or other inspections that are required to be carried out in respect of the building work.

46. Notification of Critical Stage Inspections

No later than two days before the building work commences, the PCA must notify:

- (a) the consent authority and the Council (if not the consent authority) of his or her appointment; and
- (b) the applicant of the critical stage inspections and other inspections that are to be carried out with respect to the building work.

47. Notice of Commencement

The applicant must give at least two days notice to the Council and the PCA of their intention to commence the erection of a building.

48. Critical Stage Inspections

The last critical stage inspection must be undertaken by the PCA. The critical stage inspections required to be carried out vary according to Building Class under the Building Code of Australia and are listed in Clause 162A of the [Environmental Planning and Assessment Regulation 2000](#).

49. Notice to be Given Prior to Critical Stage Inspections

The principal contractor for a building site, or the owner-builder, must notify the PCA at least 48 hours before each required inspection needs to be carried out.

50. Occupation Certificate

A person must not commence occupation or use of the whole or any part of a new building unless an Occupation Certificate has been issued in relation to the building or part.

PRESCRIBED CONDITIONS

51. Clause 97A – BASIX Commitments

This Clause requires the fulfilment of all BASIX Commitments as detailed in the BASIX Certificate to which the development relates.

52. Clause 98 – Building Code of Australia & Home Building Act 1989

Requires all building work to be carried out in accordance with the Building Code of Australia. In the case of residential building work to which the [Home Building Act 1989](#) relates, there is a requirement for a contract of insurance to be in force before any work commences.

53. Clause 98A – Erection of Signs

Requires the erection of signs on site and outlines the details which are to be included on the sign. The sign must be displayed in a prominent position on site and include the name and contact details of the PCA and the Principal Contractor.

54. Clause 98B – Home Building Act 1989

If the development involves residential building work under the [Home Building Act 1989](#), no work is permitted to commence unless certain details are provided in writing to Council. The name and licence/permit number of the Principal Contractor or Owner Builder and the name of the Insurer by which work is insured under Part 6 of the [Home Building Act 1989](#).

55. Clause 98E – Protection & Support of Adjoining Premises

If the development involves excavation that extends below the level of the base of the footings of a building on adjoining land, this prescribed condition requires the person who benefits from the development consent to protect and support the adjoining premises and where necessary underpin the adjoining premises to prevent any damage.

ADVISORY NOTES

I. Review of Determination

Section 8.2 of the Environmental Planning and Assessment Act confers on an applicant who is dissatisfied with the determination of the application the right to lodge an application with Council for a review of such determination. Any such review must however be completed within 6 months from its determination. Should a review be contemplated sufficient time should be allowed for Council to undertake public notification and other processes involved in the review of the determination.

Note: review provisions do not apply to Complying Development, Designated Development, State Significant Development, Integrated Development or any application determined by the Sydney East Planning Panel or the Land & Environment Court.

II. Appeal Rights

Division 8.3 (Reviews and appeals) Part 8 of the Environmental Planning and Assessment Act 1979 confers on an applicant who is dissatisfied with the determination of the application a right of appeal to the Land and Environment Court of New South Wales.

III. Lapsing of Consent

This consent will lapse unless the development is physically commenced within 5 years from the Date of Operation of this consent, in accordance with Section 4.53 of the Environmental Planning and Assessment Act 1979 as amended.

IV. Access to NSW Legislations (Acts, Regulations and Planning Instruments)

NSW legislation can be accessed free of charge at www.legislation.nsw.gov.au

V. Long Service Levy

The Long Service Corporation administers a scheme which provides a portable long service benefit for eligible workers in the building and construction industry in NSW. All benefits and requirements are determined by the Building and Construction Industry Long Service Payments Act 1986. More information about the scheme and the levy amount you are required to pay to satisfy a condition of your consent can be found at <http://www.longservice.nsw.gov.au>.

The required Long Service Levy payment can be direct to the Long Service Corporation via their web site <https://online.longservice.nsw.gov.au/bci/levy>. Payments can only be processed on-line for the full levy owing and where the value of work is between \$25,000 and \$6,000,000. Payments will be accepted for amounts up to \$21,000, using either MasterCard or Visa.

VI. Disability Discrimination Act

This application has been assessed in accordance with the [Environmental Planning and Assessment Act 1979](#). No guarantee is given that the proposal complies with the [Disability Discrimination Act 1992](#). The applicant is responsible to ensure compliance with this and other anti-discrimination legislation. The [Disability Discrimination Act 1992](#) covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which refers to AS1428.1-Design for Access and Mobility.

VII. Stormwater & Ancillary Works – Applications under Section 138 Roads Act and/or Section 68 Local Government Act 1993

To apply for approval under Section 138 of the [Roads Act 1993](#):

- (a) Complete the Works Permit Application Form which can be downloaded from Strathfield Council's Website at www.strathfield.nsw.gov.au.
- (b) In the Application Form, quote the Development Consent No. (eg. Year/DA [2021/221]) and reference this condition number (e.g. Condition 23)
- (c) Lodge the application form, together with the associated fees at Council's Customer Service Centre, during business hours. Refer to Council's adopted Fees and Charges for the administrative and inspection charges associated with Works Permit applications.

An approval for a new or modified vehicular crossing will contain the approved access and/or alignment levels which will be required to construct the crossing and/or footpath. Once approved, all work shall be carried out by a private contractor in accordance with Council's specifications prior to the issue of an Occupation Certificate.

The developer must meet all costs of the extension, relocation or reconstruction of any part of Council's drainage system (including design drawings and easements) required to carry out the approved development.

VIII. Site Safety Fencing

Site fencing must be erected in accordance with SafeWork Guidelines, to exclude public access to the site throughout the demolition and/or construction work, except in the case of alterations to an occupied dwelling. The fencing must be erected before the commencement of any work and maintained throughout any demolition and construction work.

A demolition licence and/or a high risk work license may be required from SafeWork NSW (see www.SafeWork.nsw.gov.au).

IX. Noise

Council will generally enforce noise related conditions in accordance with the *Noise Guide for Local Government* (<http://www.environment.nsw.gov.au/noise/nglg.htm>) and the *Industrial Noise Guidelines* (<http://www.environment.nsw.gov.au/noise/industrial.htm>) publish by the Department of Environment and Conservation. Other state government authorities also regulate the [Protection of the Environment Operations Act 1997](#).

Useful links relating to Noise:

- (a) Community Justice Centres—free mediation service provided by the NSW Government (www.cjc.nsw.gov.au).
- (b) Department of Environment and Conservation NSW, Noise Policy Section web page (www.environment.nsw.gov.au/noise).
- (c) New South Wales Government Legislation home page for access to all NSW legislation, including the *Protection of the Environment Operations Act 1997* and the *Protection of the Environment Noise Control Regulation 2000* (www.legislation.nsw.gov.au).

- (d) Australian Acoustical Society—professional society of noise-related professionals ([www.acoustics.asn.au /index.php](http://www.acoustics.asn.au/index.php)).
- (e) Association of Australian Acoustical Consultants—professional society of noise related professionals (www.aaac.org.au).
- (f) Department of Gaming and Racing - (www.dgr.nsw.gov.au).

X. Electricity Supply

This development may need a connection to the Ausgrid network which may require the network to be extended or its capacity augmented. You are advised to contact Ausgrid on 13 13 65 or www.ausgrid.com.au (Business and Commercial Services) for further details and information on lodging your application to connect to the network.

xi. Register your Swimming Pool

All swimming pools in NSW are required to be registered. Fines apply for pools that are not registered. To register please visit: www.swimmingpoolregister.nsw.gov.au

xii. Australia Post – Letter Box Size and Location

The size and location of letterboxes servicing the development are to comply with the requirements and standard of Australia Post (see attached link: https://auspost.com.au/content/dam/auspost_corp/media/documents/Appendix-02.pdf)