

## IDAP REPORT

<b>Property:</b>	15 Mackenzie Street HOMEBUSH Lot: 26 DP: 6479 DA2022.102
<b>Proposal:</b>	Construction of a two-storey dwelling house.
<b>Applicant:</b>	P Planning Solutions
<b>Owner:</b>	C Diamantopoulos & KL James
<b>Date of lodgement:</b>	3 June 2022
<b>Notification period:</b>	8 June 2022 – 22 June 2022
<b>Submissions received:</b>	Nil
<b>Assessment officer:</b>	L Gibson
<b>Estimated cost of works:</b>	\$1,010,614.00
<b>Zoning:</b>	R2-Low Density Residential - SLEP 2012
<b>Heritage:</b>	No
<b>Flood affected:</b>	Yes
<b>Is a Clause 4.6 Variation Proposed:</b>	N/A
<b>RECOMMENDATION OF OFFICER:</b>	<b>APPROVAL</b>



*Figure 1: Aerial view of subject site (outlined in yellow) and surrounding context including Homebush Boys Public School located east of site.*

## **EXECUTIVE SUMMARY**

### **Proposal**

Development consent is being sought for the construction of a two-storey dwelling house.

### **Site and Locality**

The site is identified as 15 Mackenzie Street Homebush and has a legal description of Lot: 26 DP: 6479. The site is a rectangular-shaped parcel of land with a splay angled toward the site's south-eastern frontage.

The site is located on the western side of Mackenzie Street and immediately opposite Homebush Boys Public School. The site comprises a frontage width of 15.05m, a depth of 51.2m along the site's northern side boundary, a depth of 55.73m along the site's southern side boundary, a rear boundary width of 14.55m, and a total site area of 772.7m<sup>2</sup>.

Existing development of the site comprises a single storey brick dwelling with pitched tiled roof form. A tandem carport attaches the dwelling along the site's northern side boundary which leads to a tandem brick garage with pitched tiled roof form to the rear. The immediate streetscape comprises a mix of single and two storey dwelling development constructed in various architectural styles. Both existing original and new housing stock in the streetscape is dominated by brick exterior materials with some painted render accents. Most dwellings in the streetscape are comprised of pitched and hipped terracotta roof forms.

### **Strathfield Local Environmental Plan**

The site is zoned R2-Low Density Residential under the provisions of Strathfield LEP 2012 and the proposal is a permissible form of development with Council's consent. The proposal satisfies all relevant objectives contained within the LEP.

### **Development Control Plan**

The proposed development generally satisfies the provisions of Strathfield Consolidated DCP 2005. This is discussed in more detail in the body of the report.

### **Notification**

The application was notified in accordance with Council's Community Participation Plan from (8 June 2022 – 22 June 2022), where no submissions were received during this time.

### **Issues**

- Flood affectation of the site.

### **Conclusion**

Having regards to the heads of consideration under Section 4.15 of the *Environmental Planning & Assessment Act 1979*, Development Application 2022/102 is recommended for approval subject to suitable conditions of consent.






Figure 3: Proposed First Floor Plan



Figure 4: Proposed Eastern Elevation Plan




Figure 4: Proposed Southern Elevation Plan






Figure 5: Proposed Northern Elevation Plan




Figure 6: Proposed Western Elevation Plan

## **The Site and Locality**

The site is identified as 15 Mackenzie Street Homebush and has a legal description of Lot: 26 DP: 6479. The site is a rectangular-shaped parcel of land with a splay angled toward the site's south-eastern frontage (refer to Figure 7 below).


The site is located on the western side of Mackenzie Street and immediately opposite Homebush Boys Public School. The site comprises a frontage width of 15.05m, a depth of 51.2m along the site's northern side boundary, a depth of 55.73m along the site's southern side boundary, a rear boundary width of 14.55m, and a total site area of 772.7m<sup>2</sup>.

Existing development of the site comprises a single storey brick dwelling with pitched tiled roof form. Vehicular access is provided to the site via an existing driveway fronting Mackenzie Street. A tandem carport attaches the dwelling along the site's northern side boundary which leads to a tandem brick garage with pitched tiled roof form to the rear.

The immediate streetscape comprises a mix of single and two storey dwelling development constructed in various architectural styles. Both original and new housing stock is dominated by brick exterior materials with some painted render accents. Most dwellings in the streetscape are comprised of pitched and hipped terracotta roof forms.



*Figure 7: Existing dwelling at subject site*



*Figure 8: New dwelling constructed at 17 Mackenzie Street (immediately south of subject site)*





*Figure 9: 2 storey brick dwelling development located immediately north of the site (13 and 11 Mackenzie Street pictured left to right)*



*Figure 9: Dwelling development located further north of the site (11 and 9 Mackenzie Street pictured left to right).*

### **Background**

3 June 2022	The subject application was lodged with Council.
8 June 2022 – 22 June 2022	The subject application was placed on notification for a period of 14 days. No submissions were received during this time.
6 July 2022	A Request for Additional Information Letter was sent to the Applicant advising of insufficient details in the submitted documentation and excessive alfresco finished floor height resulting in adverse amenity impacts for adjoining residents.

25 July 2022	Amended documentation by way of revised architectural plans, landscape plans and a response to additional information request was submitted to Council via the Planning Portal. The additional information has addressed the outstanding matters to the satisfaction of Council.
--------------	--

## **Referrals – Internal**

### **Stormwater**

The application was referred to Council's Development Engineer for comment. The following comments were made:

*"From engineering perspective, concept plan is feasible".*

No further concerns were raised subject to standard conditions of consent.

### **Trees**

The application referred to Council's Arborist for comment. No concerns were raised subject to compliance with the recommendations of the submitted Arboricultural Impact Assessment and standard tree protection conditions.

## **Section 4.15 Assessment – EP&A Act 1979**

The following is an assessment of the application with regard to Section 4.15 (1) of the Environmental Planning and Assessment Act 1979.

### **(1) *Matters for consideration – general***

***In determining an application, a consent authority is to take into consideration such of the following matters as are of relevance to the development the subject of the development application:***

- (a) *the provision of:***
- (i) *any environmental planning instrument,***

## **STATE ENVIRONMENTAL PLANNING POLICY (BIODIVERSITY AND CONSERVATION) 2021**

### **Chapter 2 – Vegetation in non-rural areas**

The intent of this Chapter within the SEPP is related to the protection of the biodiversity values of trees and other vegetation on the site. Officer who outlined specific conditions to be imposed with any development consent in order to ensure the protection of trees in and around the site including the two (2) Council street trees on the Council verge. The proposed development results in the removal of 1 citrus reticulata (mandarin tree) which is an exempt species. Whilst a replacement tree planting is not required, the proposal includes a new replacement *Elaeocarpus reticulatus* tree planting in the rear yard capable of achieving a minimum mature height of 8m.

The aims and objectives outlined within the SEPP are considered to be satisfied.



## **Chapter 10 – Sydney harbour Catchment**

All stormwater from the proposed development as modified can be treated in accordance with Council's Stormwater Management Code and would satisfy the relevant planning principles of Chapter 10 - Sydney Harbour Catchment.

### **STATE ENVIRONMENTAL PLANNING POLICY (BUILDING SUSTAINABILITY INDEX: BASIX) 2004**

A BASIX Certificate has been issued for the proposed development and the commitments required by the BASIX Certificate have been satisfied.

### **STATE ENVIRONMENTAL PLANNING POLICY (RESILIENCE AND HAZARDS) 2021**

#### **Chapter 4 – Remediation of land**

Chapter 4 applies to the land and pursuant to Section 4.15 is a relevant consideration.

A review of the available history for the site gives no indication that the land associated with this development is contaminated. There were no historic uses that would trigger further site investigations.

The objectives outlined within Chapter 4 of the SEPP are considered to be satisfied.

#### **Strathfield Local Environmental Plan**

The development site is subject to the Strathfield Local Environmental Plan 2012

#### **Part 2 – Permitted or Prohibited Development**

##### **Clause 2.1 – Land Use Zones**

The subject site is zoned R2-Low Density Residential and the proposal is a permissible form of development with Council's consent.

#### **Part 4 – Principal Development Standards**

Applicable SLEP 2012 Clause	Development Standards	Development Proposal	Compliance/ Comment
<b>4.3</b> Height of Buildings	9.5m	8.975m	Yes
<b>4.4</b> Floor Space Ratio	0.575:1 (444.3m <sup>2</sup> )	0.45:1 (347.8m <sup>2</sup> )	Yes

#### **Part 5 – Miscellaneous Provisions**

##### **Heritage Conservation**

The subject site is located immediately west of Homebush Boys Public School 29-37 Bridge Road, Homebush (I18 under Schedule 5 of the SLEP 2012). The item comprising the main 1936 brick school building and trees is significant for its aesthetic and local significance as it is representative of suburban consolidation and for its contribution to the street. The building presents to its Bridge Road frontage away from the subject site. The proposed works being for the purposes of a modest two storey dwelling, is therefore unlikely to impose any adverse impacts on the significance of the adjacent heritage item.

It is considered that the proposed works satisfactorily address the provisions of this Clause.

## **Flood Planning**

The subject site has been identified as being at or below the flood planning level. The application, inclusive of an Overland Flow Study Report, was reviewed by Council's Engineer. Council's Engineer has advised that subject to suitable conditions, the development is considered compatible with the flood hazard of the land, will not result in significant adverse effects on flood behaviour or environment and is not likely to result in unsustainable social and economic loss. The proposed development is considered to satisfy the objectives of this clause.

## **Part 6 – Additional Local Provisions**

### **Acid Sulfate Soils**

The subject site is identified as having Class 5 Acid Sulfate Soils and is located within 500m of Class 3 soils. An Acid Sulfate Soils Management Plan was not required given that no excavation works are proposed so as to risk lowering of the water table below 1m AHD.

Therefore, Development Consent under the provisions of this section is not required and as such an Acid Sulfate Soils Management Plan is not required.

### **Earthworks**

The proposal does not include any significant excavation or basement works. Any excavation for footings or levelling of the site is considered to be minor and will not have a detrimental impact on environmental functions and processes, neighbouring uses, cultural or heritage items or features of the surrounding land.

### **Essential Services**

Clause 6.4 of the SLEP 2012 requires consideration to be given to the adequacy of essential services available to the subject site. The subject site is located within a well serviced area and features existing water and electricity connection and access to Council's stormwater drainage system. As such, the subject site is considered to be adequately serviced for the purposes of the proposed development

It is considered that the proposed development satisfies the aims, objectives and development standards, where relevant, of the Strathfield LEP 2012.

- (ii) any draft environmental planning instrument that is or has been placed on public exhibition and details of which have been notified to the consent authority, and**

There are no draft planning instruments that are applicable to this site.

- (iii) any development control plan,**

The proposed development is subject to the provisions of the Strathfield Consolidated Development Control Plan 2005. The following comments are made with respect to the proposal satisfying the objectives and controls contained within the DCP.

Applicable DCP Controls	DCP Controls	Development Proposal	Compliance/ Comment
<b>Building Envelope</b>			
<b>Heights:</b> Floor to ceiling heights:	3.0m	2.7m (ground floor) 2.55m (first floor)	Yes
Height to underside of eaves:	7.2m	6.43m	Yes
Number of Storeys/Levels:	2	2	Yes
<b>Setbacks:</b> Front:	9m	6.34m	No – refer to discussion below
Side:	1.2m (min)	1.3m – 1.9m (south)	Yes
Side:	1.2m (min)	1.5m – 3m (north)	Yes
Combined Side Setback:	3.01m (20%)	2.8m – 4.9m	No – refer discussion below
Rear:	6m	18.6m	Yes
<b>Landscaping</b>			
Landscaping/Deep soil Provisions:	43% (332.26m <sup>2</sup> )	50% (389.2m <sup>2</sup> )	Yes
<b>Fencing</b>			
Height (overall/piers):	1.5m (maximum)	No fencing proposed as part of this application	N/A
Solid Component:	0.7m		
Secondary Frontage:	1.8m		
<b>Solar Access</b>			
POS or habitable windows	3hrs to habitable windows and to 50% of POS	Site provided with an east-west orientation resulting in overshadowing o southern adjoining property	No – refer to discussion below.
<b>Vehicle Access and Parking</b>			
Driveway width at Boundary:	3m	3m – existing	Yes
Vehicular Crossing:	1	layback to be retained.	
Driveway setback – side:	0.5m	1.4m	Yes
No. of Parking Spaces:	2	2	Yes

## Building Envelope

The proposed development satisfies the objectives and controls within the development control plan relevant to:

- Building Scale, height and floor space ratio
- Rhythm of Built Elements in the Streetscape,
- Fenestration and External Materials, and
- Street Edge



The proposal seeks a rendered dwelling design with pitched roof form and bricked feature portico element to the façade. The dwelling is a well-articulated built form which is similar in terms of the prevailing type and form of other existing two storey dwelling development in the street. The design responds appropriately to the site through varied side and front setbacks which generally aligns with the prevailing setbacks provided by existing dwelling development in the street.

The solar panels proposed to the northern face of the roof have been designed so as to remain relatively concealed from the street. Overall, the dwelling is considered compatible with surrounding development and acceptable in this regard.

## **Setbacks**

### **Front Setback**

Section 4.2 of Part A of the SCDP 2005 permits a setback of less than 9m in instances where the predominant front setback in the street is less than 9m, the proposed setback is not less than the setback of the existing dwelling, or the proposed setback would not conflict with the character of the existing streetscape.

The proposal seeks a 6.34m front setback which is considered appropriate given that the setback provided by the current dwelling on the site is 5.51m and that the proposed 6.34m setback will align with the 6.44m setback provided by the southern adjoining dwelling. Further, the front building line is staggered so to break the bulk and scale of the dwelling as viewed from the street. The proposal is therefore acceptable in this regard.

### **Side Setbacks**

Section 4.2.3.2 of Part A of the SCDP 2005 requires a combined setback of 20% (3.01m) to be provided for the site. A minimum 1.2m setback is also required to be provided either side of the site.

The proposal results in a combined setback ranging between 2.8m – 4.9m presenting a minor non-compliance with the combined 20% setback controls. The non-compliance is contained to the front portion of the dwelling attributed by the integrated tandem garage structure. The intent of the setback controls is to achieve building articulation to new development as well as to maintain appropriate view corridors between dwellings in the street. The proposal is of an appropriate scale, is well sited and articulated through varied front, side and rear setbacks which reduces its visual impact and maintains a consistent building rhythm in the street. Accordingly, the proposal is considered acceptable in this regard notwithstanding its numeric setback non-compliance.

## **Landscaping and Open Space**

The proposed development satisfies the relevant objectives and controls of the SCDP 2005. The development is considered to enhance the existing streetscape, adequate areas for deep soil planting have been provided and can accommodate large canopy trees and where possible trees have been retained and protected.

## Solar Access

The property is an east-west oriented lot resulting in an unavoidable degree of overshadowing to the southern adjoining property. The overshadowing is of greatest impact to northern-oriented windows of 17 Mackenzie Street which pertain to the garage, 2 bedrooms, a playroom, study, laundry and dining room. The living spaces are primarily focused along the rear western elevation and will be capable of receiving ample solar at minimum from midday onwards.



Figure 10: Approved CDC single level dwelling at 17 Mackenzie Street.




Figure 11: Submitted overshadowing diagram demonstrating overshadowing to southern adjoining dwelling at winter solstice (21 June).

## Privacy

The proposed development satisfies the relevant objectives and controls of the SCDCP 2005, in that adequate privacy is maintained between adjoining properties and any potential overlooking is minimised. The finished floor height of the rear alfresco area has been amended so to sit more closely to natural ground level and minimise opportunities over overlooking into adjoining properties. Windows are offset from adjoining dwellings where required, they are screened, obscured or off low active use rooms so as not to negatively impact on adjoining properties.

## Vehicular access, Parking and Basements

The proposed development satisfies the relevant objectives and controls of the SCDCP 2005 in that it provides the minimum number of required parking spaces and adequate vehicular access provisions. The garage has been incorporated into the façade of the dwelling however, is setback from the front porch so to ensure the garage remain as a recessive element to the façade and its visual prominence in the streetscape is minimised.

## Water and Soil Management

The proposed development satisfies the relevant objectives and controls of the SCDCP 2005 and complies with Council's Stormwater Management Code. A soil erosion plan has been submitted with the application to prevent or minimise soil disturbances during construction.

## Access, Safety and Security

The proposed development satisfies the relevant objectives and controls of the SCDCP 2005. Passive surveillance of the public street has been provided providing safety and perception of safety in the street.

## PART H – Waste Management (SCDCP 2005)

In accordance with Part H of Strathfield CDCP 2005, a waste management plan was submitted with the application. The plan details measure for waste during demolition and construction, and the on-going waste generated by the development during its use. It is considered that this plan adequately address Part H and considered satisfactory.

**(iv) *Any matters prescribed by the regulations, that apply to the land to which the development application relates,***

The requirements of Australian Standard AS2601–1991: *The Demolition of Structures* is relevant to the determination of a development application for the demolition of a building.

The proposed development does not involve the demolition of a building. Should this application be approved, appropriate conditions of consent may be imposed to ensure compliance with the requirements of the above standard.

**(b) *the likely impacts of that development, including environmental impacts on both the natural and built environments, and social and economic impacts in the locality,***

The proposed development is of a scale and character that is in keeping with other developments being constructed in the locality. Accordingly, the proposal is not considered to have a significant impact on the natural and built environment or any negative social or economic impacts on the locality.



**(c) *the suitability of the site for the development,***

It is considered that the proposed development is of a scale and design that is suitable for the site having regard to its size and shape, its topography, vegetation and relationship to adjoining developments.

**(d) *any submissions made in accordance with this Act or the regulations,***

In accordance with the provisions of Councils Community Participation Plan, the application was placed on neighbour notification for a period of 14 days where adjoining property owners were notified in writing of the proposal and invited to comment. No submissions were received during this time.

**(e) *the public interest.***

The proposed development is of a scale and character that does not conflict with the public interest.

**Local Infrastructure Contributions**

Section 7.13 of the EP&A Act 1979 relates to the collection of monetary contributions from applicants for use in developing key local infrastructure. This section prescribes in part as follows:

A consent authority may impose a condition under section 7.11 or 7.12 only if it is of a kind allowed by, and is determined in accordance with, a contributions plan (subject to any direction of the Minister under this Division).

**STRATHFIELD INDIRECT SECTION 7.12 CONTRIBUTIONS PLAN**

Section 7.12 are applicable to the proposed development in accordance with the Strathfield Indirect Development Contributions Plan as follows:

Based on the Cost of Works of \$1,010,614.00 and in accordance with Council's s7.12 Indirect Contributions Plan, a contribution of 1% of the cost of works is applicable. In this regard, the contribution is as follows;

Local Amenity Improvement Levy	\$10,106.14
--------------------------------	-------------

**Conclusion**

The application has been assessed having regard to the Heads of Consideration under Section 4.15 (1) of the Environmental Planning and Assessment Act 1979, the provisions of the SLEP 2012 and SCDCP 2005.

Following detailed assessment it is considered that Development Application No. 2022/102 should be approved subject to conditions.



**Signed:**

**L Gibson  
Senior Planner**

**Date: 26 July 2022**

- ☒ I confirm that I have determined the abovementioned development application with the delegations assigned to my position;
- ☒ I have reviewed the details of this development application and I also certify that Section 7.12 Contributions are applicable to this development and have been levied accordingly;

Report and recommendations have been peer reviewed by;



**Signed:**  
**Gary Choice**  
**Planner**

**Date: 3 August 2022**

The following conditions of consent are imposed for the following reasons:

- (a) To ensure compliance with the terms of the relevant Environmental Planning Instrument and/or Building Code of Australia and/or Council's codes, policies and specifications.
- (b) To protect the environment.
- (c) To ensure that there is no unacceptable impact on the amenity of the area, or to private and public property.
- (d) It is in the public interest.

## **DEVELOPMENT DETAILS**

### **1. Approved Plans & Documentation**

The development must be implemented in accordance with the approved plans and supporting documentation listed below which have been endorsed by Council's approved stamp, except where marked up on the plans and/or amended by conditions of this consent:

<b>Description</b>	<b>Reference No.</b>	<b>Date</b>	<b>Revision</b>	<b>Prepared by</b>
Site Plan	Sheet 1 of 10	7 March 2022	-	Metricon Homes
Erosion and Sediment Control Plan	Sheet 1A of 10	7 March 2022	-	Metricon Homes
Ground Floor Plan	Sheet 2 of 10	7 March 2022	K	Metricon Homes

First Floor Plan	Sheet 3 of 10	7 March 2022	K	Metricon Homes
Elevation A (East) and Elevation B (South)	Sheet 4 of 10	7 March 2022	K	Metricon Homes
Elevation C (West) and Elevation D (North)	Sheet 5 of 10	7 March 2022	K	Metricon Homes
Section X-X	Sheet 6 of 10	7 March 2022	K	Metricon Homes
Landscape Plans	Page L-01E	22 July 2022	E	Site Design + Studios
Stormwater Drainage Plan	Sheets 1-3	27 Jan 2022	-	Residential Engineering

## Reference Documentation

Description	Reference No.	Date	Revision	Prepared by
Waste Management Plan	-	28 March 2022	-	Metricon Homes
Overland Flow Study Report	RF: 21908	21 March 2022	-	ACCON Engineers
Arborist Report	-	25 September 2021	-	The Ents Tree Consultancy
BASIX Certificate	No. 1273927S_03	Issued 18 May 2022	-	-

## 2. Building Height

The height of the building measured from Australian Height Datum (AHD) must not exceed Relative Level (RL) 19.655 AHD to the roof ridge of the building.



## SEPRARATE APPROVALS REQUIRED UNDER OTHER LEGISLATION

### 3. Section 138 Roads Act 1993 and Section 68 Local Government Act 1993

Unless otherwise specified by a condition of this consent, this Development Consent does not give any approval to undertake works on public infrastructure.

Separate approval is required under Section 138 of the [Roads Act 1993](#) and/or Section 68 of the [Local Government Act 1993](#) for any of the following activities carried out in, on or over a public road (including the footpath) listed below.

An application is required to be lodged and approved prior to the commencement of any of the following works or activities;

- (a) If any excavation is to be supported by the use of below ground (cable) anchors that are constructed under Council's roadways/footways.
- (b) Swinging or hoisting goods over any part of a public road by means of a lift, crane or the like;
- (c) Establishing a "works zone";
- (d) Placing or storing materials or equipment;
- (e) Placing or storing waste containers or skip bins;
- (f) Stormwater & ancillary to public infrastructure on private land
- (g) Erecting a structure or carrying out work

These separate activity approvals (a)-(g) must be obtained and evidence of the approval provided to the Certifying Authority prior to the issue of the Construction Certificate.

- (h) Pumping water from the site into the public road;
- (i) Constructing a vehicular crossing or footpath;
- (j) Digging up or disturbing the surface of a public road (e.g. Opening the road for the purpose of connections to utility providers);
- (k) Stormwater & ancillary works in the road reserve; and
- (l) Pumping concrete from a public road;

These separate activity approvals must be obtained and evidence of the approval provided to the Certifying Authority prior to the activities commencing.

The relevant Application Forms for these activities can be downloaded from Council's website [www.strathfield.nsw.gov.au](http://www.strathfield.nsw.gov.au). For further information, please contact Council's Customer Service Centre on (02) 9748 9999.

## REQUIREMENTS OF CONCURRENCE, INTEGRATED & OTHER GOVERNMENT AUTHORITIES

### 4. Sydney Water – Tap in™

The approved plans must be submitted to a Sydney Water Tap in™ to determine whether the development application will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. The approved plans will be appropriately endorsed. For details please refer to 'Plumbing, building and developing' section of Sydney Water's web site at [www.sydneywater.com.au](http://www.sydneywater.com.au) then see 'Building', or telephone 13000 TAP IN (1300 082 746). The Certifying Authority must ensure that a Tap in™ agent has appropriately stamped the plans prior to the issue of the Construction Certificate.

## PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

### 5. Fees to be Paid

The fees listed in the table below must be paid in accordance with the conditions of this consent and Council's adopted Fees and Charges applicable at the time of payment (available at [www.strathfield.nsw.gov.au](http://www.strathfield.nsw.gov.au)).

Payments must be made prior to the issue of the Construction Certificate or prior to the commencement of work (if there is no associated Construction Certificate).

Please contact council prior to the payment of s7.11 or s7.12 Contributions to determine whether the amounts have been indexed from that indicated below in this consent and the form of payment that will be accepted by Council.

A summary of the fees to be paid are listed below:

Fee Type	Fee
<b>GENERAL FEES</b>	
Long Service Levy (to Long Service Corporation)  Or, provide evidence of Payment direct to the Long Service Corporation. See <a href="https://portal.longservice.nsw.gov.au/bci/levy/">https://portal.longservice.nsw.gov.au/bci/levy/</a>	\$3,537.00
Security Damage Deposit	\$15,000.00
Tree Bond	\$20,300.00
Administration Fee for Damage Deposit	\$130.00
Administration Fee for Tree Bond	\$130.00

<b>DEVELOPMENT CONTRIBUTIONS</b>	
Strathfield Section 94A Indirect Development Contributions Plan 2017	\$10,106.14
<b>Total Section 94 Contributions:</b>	<b>\$10,106.14</b>

## **General Fees**

The fees and charges above are subject to change and are as set out in the version of Council's Schedule of Fees and Charges or as required by other Government Authorities, applicable at the time of payment.

## **Development Contributions**

A Section 7.12 contribution has been levied on the subject development pursuant to the Strathfield Section 94A Indirect Development Contributions Plan.

### Indexation

The above contributions will be adjusted at the time of payment to reflect changes in the cost of delivering public amenities and public services, in accordance with the indices provided by the relevant Development Contributions Plan.

### Timing of Payment

The contribution must be paid and receipted by Council:

- prior to the release of the Construction Certificate.

### Further Information

A copy of the *current Development Contributions Plans* may be inspected at Council's Customer Service Centre at 65 Homebush Road, Strathfield or on Council's website [www.strathfield.nsw.gov.au](http://www.strathfield.nsw.gov.au).

## **6. Damage Deposit – Minor Works**

In order to insure against damage to Council property the following is required:

- Pay Council, before the issue of the Construction Certificate, a damage security deposit for the cost of making good any damage caused to any Council property as a result of the development: \$15,000.00
- Pay Council, before the issue of the Construction Certificate, a non-refundable administration fee to enable assessment of any damage and repairs where required: \$130.00
- Submit to Council, before the commencement of work, a photographic record of the condition of the Council nature strip, footpath and driveway crossing, or any area likely to be affected by the proposal.

At the completion of work Council will inspect the public works, and the damage deposit will be refunded in full upon completion of work where no damage occurs. Otherwise the amount will be either forfeited or partly refunded according to the amount of damage.

## **7. Tree Bond**

A tree bond (Tree 1- ) – *Lophostemon confertus* / (Tree 2) – *Lophostemon confertus* street tree of \$20,300.00 (calculated in accordance with Council's adopted Fees and Charges) shall be paid to Council, prior to the issue of a Construction Certificate.

The deposit is required as security against any damage to existing trees to be retained on Council's road reserve, during works on the site. The applicant must bear the cost of all restoration works to Council's property damaged during the course of this development.

Payment may be accepted in the form of cash, bank guarantee, cheque or credit card (financial transactions fees apply). Note: Additional fees apply for the lodgement of a bank guarantee in lieu of cash bond applies in accordance with Council's adopted Fees and Charges.

A request for refund of the Tree Bond must be made in writing.

Tree Bonds may be forfeited if a tree is dead, made dangerous or has been terminally damaged, or will be held until tree/s have fully recovered from the construction damage or were replacement/planted trees have become fully established and are over 6 metres in height.

## **8. Site Management Plan**

### **Minor Development**

A Site Management Plan detailing all weather access control points, sedimentation controls, waste management plans, fencing, builder's site sheds office, amenities, materials storage and unloading arrangements must be submitted with the application for the Construction Certificate.

## **9. BASIX Commitments**

The approved BASIX Certificate shall be submitted to the Accredited Certifier with the application for a Construction Certificate.

All measures and commitments as detailed in the BASIX Certificate No. 1273927S\_03 must be implemented on the plans lodged with the application for the Construction Certificate.

## **10. Erosion & Sedimentation Control**

Erosion and sediment controls must be provided to ensure:

- (a) Compliance with the approved Erosion & Sediment Control Plan
- (b) Removal or disturbance of vegetation and top soil is confined to within 3m of the approved building area (no trees to be removed without approval)
- (c) All clean water run-off is diverted around cleared or exposed areas
- (d) Silt fences, stabilised entry/exit points or other devices are installed to prevent sediment from entering drainage systems or waterways



- (e) All erosion and sediment controls are fully maintained for the duration of demolition, excavation and/or development works
- (f) Controls are put into place to prevent tracking of sediment by vehicles onto adjoining roadway
- (g) All disturbed areas are rendered erosion-resistant by turfing, mulching, paving or similar
- (h) Compliance with [Managing Urban Stormwater – Soils and Construction \(Blue Book\) produced by Landcom 2004.](#)

These measures are to be implemented prior to the commencement of work (including demolition and excavation) and must remain until works are completed and all exposed surfaces are landscaped/sealed.

#### **11. Stormwater System**

The submitted stormwater plan has been assessed as a concept plan only. Final detailed plans of the drainage system in accordance with Council stormwater management code and AS/NZS 3500.3: 2015 (as amended), prepared by a professional engineer specialising in hydraulic engineering, shall be submitted for approval with the Construction Certificate.

#### **12. Detailed Stormwater Drainage Design**

The submitted stormwater plan has been assessed as a concept plan only. A detailed drainage design supported by a catchment area plan and drainage calculations (including a Hydraulic Grade Line Analysis) in accordance with Council's Stormwater Management Code must be submitted with the Construction Certificate application.

#### **13. Compliance with Flood Study**

The development shall be designed to conform to the recommendations and conclusions of the submitted overland flow study report prepared by ACCON Engineers RF21908 dated 21 March 2022.

This shall include, but not be limited to, any recommendations for the following:

- (a) Minimum floor levels
- (b) Fencing
- (c) Site regrading
- (d) Overland flow path construction

Evidence from professional engineer that specialises in hydraulic engineering that all design requirements have been adhered to shall be submitted with the Construction Certificate application.

#### **14. Stormwater Drainage Plan Details**

Stormwater drainage plans including pipe sizes, type, grade, length, invert levels, dimensions and types of drainage pits prepared by a professional engineering specialising in hydraulic engineering shall be submitted with the Construction Certificate application.

These plans shall be prepared in accordance with the Australian Institute of Engineers Australian Rainfall and Runoff (1987) and Council's Stormwater Management Code.

#### **15. Structural Details**

Engineer's details prepared by a practising Structural Engineer being used to construct all reinforced concrete work, structural beams, columns & other structural members. The details are to be submitted to the Principal Certifying Authority for approval prior to construction of the specified works.

A copy shall be forwarded to Council where Council is not the Principal Certifier.

#### **16. Off Street Parking – Compliance with AS2890**

All driveways, access ramps, vehicular crossings and car parking spaces shall be designed and constructed in accordance with the current version of Australian Standards, AS 2890.1 (for car parking facilities), AS 2890.6 (parking for people with disabilities) and AS 2890.2 (for commercial vehicle facilities).

#### **17. Landscape Plans**

All landscape works shall be carried out in accordance with the approved landscape plans. The landscaping shall be maintained in accordance with the approved plans in perpetuity.

#### **18. Compliance with Submitted Arborist Report**

The recommendations outlined in the revised Arborist's Report titled **Arboricultural Impact Assessment & Tree Protection Plan** prepared by **The Ents Tree Consultancy** dated **25<sup>th</sup> May 2022** must be implemented throughout the relevant stages of construction. Details of tree protection measures to be implemented must be detailed and lodged with the Construction Certificate application for approval and shall be in accordance with Section 4 - *Australian Standard AS 4970-2009: Protection of trees on development sites*.

The tree/s to be protected are listed in the table below.

<b>Tree No</b>	<b>Tree Species</b>	<b>Location of Tree</b>	<b>Tree Protection Zone (TPZ)</b>
1	Lophostemon confertus	15 Mackenzie Street	7.2 metres
2	Lophostemon confertus	13 Mackenzie Street	5.5 metres
3	Syzygium paniculata	13 Mackenzie Street	1,7 metres
4	Viburnum tinus	13 Mackenzie Street	2.0 metres
5	Plumeria acutifolia	13 Mackenzie Street	3.6 metres
6	Melaleuca bracteata	13 Mackenzie Street	3.0 metres
7	Melaleuca bracteata	13 Mackenzie Street	3.5 metres
8	Robinia pseudoacacia "Frisia"	13 Mackenzie Street	5.0 metres

## 19. Tree Removal/Pruning Prohibited

This consent does not approve the removal or pruning (branches or roots) of any trees on the subject property, Council's public footway, public reserves or on neighbouring properties.

## 20. Tree Protection and Retention

The following trees shall be retained and protected:

Tree No.	Tree Species	Location of Tree	Tree Protection Zone (metres)
1	Lophostemon confertus	15 Mackenzie Street	7.2 metres
2	Lophostemon confertus	13 Mackenzie Street	5.5 metres
3	Syzygium paniculata	13 Mackenzie Street	1,7 metres
4	Viburnum tinus	13 Mackenzie Street	2.0 metres
5	Plumeria acutifolia	13 Mackenzie Street	3.6 metres
6	Melaleuca bracteata	13 Mackenzie Street	3.0 metres
7	Melaleuca bracteata	13 Mackenzie Street	3.5 metres
8	Robinia pseudoacacia "Frisia"	13 Mackenzie Street	5.0 metres

Details of the trees to be retained must be included on the Construction Certificate plans.

### General Tree Protection Measures

- All trees to be retained shall be protected and maintained during demolition, excavation and construction of the site.
- The tree protection measures must be undertaken in accordance *AS4970 -2009 Protection of trees on development sites*.
- Details of the tree protection measures to be implemented must be provided with the application for a Construction Certificate by a suitably qualified Arborist (AQF Level 5 or above in Arboriculture).
- The Arborist must be present on-site during the stages of construction when works are being undertaken that could impact on the tree canopy or root zone within the tree protection zone to implement the tree protection measures as required.

- (e) Unless otherwise specified in AS 4970-2009, a protective fence consisting of 1.8 metres high, fully supported chainmesh fence shall be erected around the base of the tree. The distance of the fence from the base of each tree is to be in accordance with the TPZ listed in the table above. A layer of organic mulch 100 millimetres thick shall be placed over the protected area and no soil or fill should be placed within the protection area.
- (f) No services shall be installed within the TPZ of the tree unless approved by Council. This fence shall be kept in place during demolition, construction and also have a sign displaying 'Tree Protection Zone' attached to the fence and must also include the name and contact details of the Project Arborist.

### **Specific Street Tree Protection Measures**

- (g) A sound protection barrier anchored firmly into the ground 1.8m in height x 2 metres clear of the base of the tree at any one point and that the fence is to extend up to the back of the kerb and to the edge of the footpath.

### **Excavation works near tree to be retained**

- (h) Excavations around the trees to be retained on site or the adjoining properties shall be supervised by the Project Arborist to ensure that the root system will not adversely be affected.
- (i) Where the Tree Protection Zone (TPZ) of trees on site or adjoining sites become compromised by any excavation works, the Project arborist shall be consulted to establish the position of any major roots and determine the necessary measures to protect these roots. The recommendations of the Arborist shall be submitted to Council prior to any further demolition or construction works taking place.
- (j) Tree Protection Zone around the trees to be retained are not to have soil level changes or services installed in this area. Any structures proposed to be built in this area of the trees are to utilise pier and beam or cantilevered slab construction.

Details satisfying this condition shall be shown on the Construction Certificate plans.

## **21. Tree Removal & Replacement**

### **Tree removal**

Permission is granted for the removal of the following trees:

<b>Tree No.</b>	<b>Tree species</b>	<b>Number of trees</b>	<b>Location</b>
9	Citrus reticulate	1	15 Mackenzie Street (rear yard)

### **General Tree Removal Requirements**

All tree removal shall be carried out by a certified Tree Surgeon/Arborist to ensure that removal is undertaken in a safe manner and complies with the AS 4373-2007 - Pruning of Amenity Trees and Amenity Tree Industry Code of Practice (Safework NSW, August 1998).



## **Tree Replacement**

All trees permitted to be removed by this consent shall be replaced [1 tree for the tree removed] by species selected from Council's Recommended Tree List and must have a minimum mature height of 10 metres.

Replacement trees shall be a minimum 50 litre container size. Trees are to conform to the NATSPEC guide and Guide for assessing the quality of and purchasing of landscape trees by Ross Clarke, 2003. Trees are to be true to type, healthy and vigorous at time of delivery and planting, shall be pest and disease free, free from injury and wounds and self-supporting; and shall be maintained until maturity.

All trees are to be staked and tied with a minimum of three (3) hardwood stakes. Ties are to be hessian and fixed firmly to the stakes, one tie at half the height of the main stem, others as necessary to stabilise the plant.

Root deflection barriers having a minimum depth of 600mm are to be installed adjacent to all footpaths and driveways.

Soil conditioner/fertilizer/moisture retention additive/s are to be applied in accordance with manufacturer's recommendations, and mixed into the backfilling soil after planting tree/s.

A minimum 75mm depth of organic mulch shall be placed within an area 0.5m from the base of the tree.

Details demonstrating compliance shall be demonstrated to the Principal Certifying Authority, prior to the issue of any Occupation Certificate.

## **PRIOR TO THE COMMENCEMENT OF WORK (INCLUDING DEMOLITION & EXCAVATION)**

### **22. Dial Before You Dig**

The applicant shall contact "Dial Before You Dig on 1100" to obtain a Service Diagram prior to the issuing of the Construction Certificate. The sequence number obtained from "Dial Before You Dig" shall be forwarded to Council's Engineers for their records.

### **23. Registered Surveyors Report - During Development Work**

A report must be submitted to the Principal Certifier at each of the following applicable stages of construction:

- (a) Set out before commencing excavation.
- (b) Floor slabs or foundation wall, before formwork or commencing brickwork.
- (c) Completion of Foundation Walls - Before any construction of flooring, detailing the location of the structure relative to adjacent boundaries and floor levels relative to the datum shown on the approved plans.
- (d) Completion of Floor Slab Formwork - Before pouring of concrete/walls construction, detailing the location of the structure relative to adjacent boundaries and floor levels relative to the datum shown on the approved plans. In multi-storey buildings a further survey must be provided at each subsequent storey.

- (e) Completion of any Roof Framing - Before roof covered detailing eaves/gutter setback from boundaries.
- (f) Completion of all Work - Detailing the location of the structure (including eaves/gutters) relative to adjacent boundaries and its height relative to the datum shown on the approved plans. A final Check Survey must indicate the reduced level of the main ridge.

Work must not proceed beyond each stage until the Principal Certifier is satisfied that the height and location of the building is proceeding in accordance with the approved plans.

#### **24. Dust Control**

Where a dust nuisance is likely to occur, suitable screens and/or barricades shall be erected during the demolition, excavation and building works. If necessary, water sprays shall be used on the site to reduce the emission of dust. Screening shall consist of a minimum 2 metres height of shade cloth or similar material secured to a chain wire fence of the like and shall be modified as required should it fail to adequately control any dust nuisance.

### **DURING CONSTRUCTION**

#### **25. Hours of Construction for Demolition and Building Work**

Any work activity or activity associated with the development consent that requires the use of any tools (including hand tools) or any power operated plant and machinery that creates noise on or adjacent to the site shall not be performed, or permitted to be performed, except between the hours of 7.00 am to 5.00 pm, Monday to Friday and 8:00am to 1:00pm on Saturdays. No work or ancillary activity is permitted on Sundays, or Public Holidays.

Where the development involves the use of jack hammers/rock breakers and the like, or other heavy machinery, such equipment may only be used between the hours of 7:00am to 5:00pm Monday to Friday only.

**Note:** A penalty infringement notice may be issued for any offence.

#### **26. Ground Levels and Retaining Walls**

The ground levels of the site shall not be excavated, raised or filled, or retaining walls constructed on the allotment boundary, except where indicated on approved plans or approved by Council.

#### **27. Obstruction of Road or Footpath**

The use of the road or footpath for the storage of any building materials, waste materials, temporary toilets, waste or skip bins, or any other matter is not permitted unless separately approved by Council under Section 138 of the [Roads Act 1993](#) and/or under Section 68 of the [Local Government Act 1993](#). Penalty infringement Notices may be issued for any offences and severe penalties apply.

## **PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE**

### **28. BASIX Certificate**

All energy efficiency measures as detailed in the approved BASIX Certificate in the plans approved with the Development Consent, must be implemented before issue of any Occupation Certificate.

### **29. BASIX Compliance Certificate**

A Compliance Certificate must be provided to the Principal Certifier regarding the implementation of all energy efficiency measures as detailed in the approved BASIX Certificate before any Occupation Certificate is issued.

### **30. Minor Development**

Internal driveways and parking spaces are to be adequately paved with concrete or bitumen, or interlocking pavers to provide a dust-free surface.

### **31. Stormwater Certification of the Constructed Drainage Works (Minor)**

The constructed stormwater system shall be certified by a suitably qualified person, in accordance with Council's Stormwater Management Code, prior to the issue of any Occupation Certificate.

### **32. Stormwater Drainage Works – Works As Executed**

Prior to the issue of the Occupation Certificate, stormwater drainage works are to be certified by a professional engineer specialising in hydraulic engineering, with Works-As-Executed drawings supplied to Council detailing:

- (a) Compliance with conditions of development consent relating to stormwater;
- (b) The structural adequacy of the On-Site Detention system (OSD);
- (c) That the works have been constructed in accordance with the approved design and will provide the detention storage volume and attenuation in accordance with the submitted calculations;
- (d) Pipe invert levels and surface levels to Australian Height Datum;
- (e) Contours indicating the direction in which water will flow over land should the capacity of the pit be exceeded in a storm event exceeding design limits.

Council's Engineering Services section must advise in writing that they are satisfied with the Works-As-Executed prior to the issue of an Occupation Certificate.

### **33. Flood Prone Land – Survey of Levels**

A registered surveyor shall verify the levels of the design runoff overland flow path and finished floor levels to Australian Height Datum. The surveyor is also to verify that the flow paths and finished floor levels have been built to the design levels, dimensions and surface finishes as specified in the approved plans.

## **OPERATIONAL CONDITIONS (ON-GOING)**

### **34. Maintenance of Landscaping**

All trees and plants forming part of the landscaping must be maintained. Maintenance includes watering, weeding, removal of rubbish from tree bases, fertilizing, pest and disease control, replacement of dead or dying plants and any other operations required to maintain healthy trees, plants and turfed areas.

### **35. Greywater System**

In order to conserve and re-use water, Council encourages all developments for new dwellings to incorporate a greywater reuse system. The system can incorporate a *greywater diversion device* or a *domestic greywater treatment system*. Any system installed is to ensure that it complies with the Plumbing Code of Australia, maintained at all times and does not result in any adverse amenity impacts on the subject premises and surrounding properties.

## **OPERATIONAL REQUIREMENTS UNDER THE ENVIRONMENTAL PLANNING & ASSESSMENT ACT 1979**

### **36. Requirement for a Construction Certificate**

The erection of a building must not commence until a Construction Certificate has been issued.

### **37. Appointment of a Principal Certifier**

Building and/or demolition works must not commence until the applicant has:

- (a) appointed a Principal Certifier for the building work; and
- (b) if relevant, advised the PCA that the work will be undertaken as an Owner -Builder.

If the work is not going to be undertaken by an Owner - Builder, the applicant must:

- (c) appoint a Principal Contractor to undertake the building work. If residential building work (within the meaning of the [Home Building Act 1989](#)) is to be undertaken, the Principal Contractor must be a holder of a contractor licence; and
- (d) notify the Principal Certifier of the details of any such appointment; and
- (e) notify the Principal Contractor of any critical stage inspections or other inspections that are required to be carried out in respect of the building work.

### **38. Notification of Critical Stage Inspections**

No later than two days before the building work commences, the Principal Certifier must notify:

- (a) the consent authority and the Council (if not the consent authority) of his or her appointment; and



- (b) the applicant of the critical stage inspections and other inspections that are to be carried out with respect to the building work.

#### **39. Notice of Commencement**

The applicant must give at least two days notice to the Council and the Principal Certifier of their intention to commence the erection or demolition of a building.

#### **40. Critical Stage Inspections**

The last critical stage inspection must be undertaken by the Principal Certifier. The critical stage inspections required to be carried out vary according to Building Class under the Building Code of Australia and are listed in Clause 61 of the [Environmental Planning and Assessment \(Development Certification and Fire Safety\) Regulation 2021 - NSW Legislation](#).

#### **41. Notice to be Given Prior to Critical Stage Inspections**

The principal contractor for a building site, or the owner-builder, must notify the Principal Certifier at least 48 hours before each required inspection needs to be carried out.

#### **42. Occupation Certificate**

A person must not commence occupation or use of the whole or any part of a new building unless an Occupation Certificate has been issued in relation to the building or part.

### **PRESCRIBED CONDITIONS**

#### **43. Clause 75 – BASIX Commitments**

This Clause requires the fulfilment of all BASIX Commitments as detailed in the BASIX Certificate to which the development relates.

#### **44. Clause 69 – Building Code of Australia & Home Building Act 1989**

Requires all building work to be carried out in accordance with the Building Code of Australia. In the case of residential building work to which the [Home Building Act 1989](#) relates, there is a requirement for a contract of insurance to be in force before any work commences.

#### **45. Clause 70 – Erection of Signs**

Requires the erection of signs on site and outlines the details which are to be included on the sign. The sign must be displayed in a prominent position on site and include the name and contact details of the Principal Certifier and the Principal Contractor.

#### **46. Clause 71 – Home Building Act 1989**

If the development involves residential building work under the [Home Building Act 1989](#), no work is permitted to commence unless certain details are provided in writing to Council. The name and licence/permit number of the Principal Contractor or Owner Builder and the name of the Insurer by which work is insured under Part 6 of the [Home Building Act 1989](#).

## ADVISORY NOTES

### i. Review of Determination

Section 8.2 of the Environmental Planning and Assessment Act confers on an applicant who is dissatisfied with the determination of the application the right to lodge an application with Council for a review of such determination. Any such review must however be completed within 6 months from its determination. Should a review be contemplated sufficient time should be allowed for Council to undertake public notification and other processes involved in the review of the determination.

Note: review provisions do not apply to Complying Development, Designated Development, State Significant Development, Integrated Development or any application determined by the Sydney East Planning Panel or the Land & Environment Court.

### ii. Appeal Rights

Division 8.3 (Reviews and appeals) Part 8 of the Environmental Planning and Assessment Act 1979 confers on an applicant who is dissatisfied with the determination of the application a right of appeal to the Land and Environment Court of New South Wales.

### iii. Lapsing of Consent

This consent will lapse unless the development is physically commenced within 5 years from the Date of Operation of this consent, in accordance with Section 4.53 of the Environmental Planning and Assessment Act 1979 as amended.

### iv. Access to NSW Legislations (Acts, Regulations and Planning Instruments)

NSW legislation can be accessed free of charge at [www.legislation.nsw.gov.au](http://www.legislation.nsw.gov.au)

### v. Long Service Levy

The Long Service Corporation administers a scheme which provides a portable long service benefit for eligible workers in the building and construction industry in NSW. All benefits and requirements are determined by the Building and Construction Industry Long Service Payments Act 1986. More information about the scheme and the levy amount you are required to pay to satisfy a condition of your consent can be found at <http://www.longservice.nsw.gov.au>.

The required Long Service Levy payment can be direct to the Long Service Corporation via their web site <https://online.longservice.nsw.gov.au/bci/levy>. Payments can only be processed on-line for the full levy owing and where the value of work is between \$25,000 and \$6,000,000. Payments will be accepted for amounts up to \$21,000, using either MasterCard or Visa.

### vi. Disability Discrimination Act

This application has been assessed in accordance with the [Environmental Planning and Assessment Act 1979](#). No guarantee is given that the proposal complies with the [Disability Discrimination Act 1992](#). The applicant is responsible to ensure compliance with this and other anti-discrimination legislation. The [Disability Discrimination Act 1992](#) covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which refers to AS1428.1-Design for Access and Mobility.

**vii. Stormwater & Ancillary Works – Applications under Section 138 Roads Act and/or Section 68 Local Government Act 1993**

To apply for approval under Section 138 of the [Roads Act 1993](#):

- (a) Complete the Works Permit Application Form which can be downloaded from Strathfield Council's Website at [www.strathfield.nsw.gov.au](http://www.strathfield.nsw.gov.au).
- (b) In the Application Form, quote the Development Consent No. (eg. Year/DA) and reference this condition number (e.g. Condition 23)
- (c) Lodge the application form, together with the associated fees at Council's Customer Service Centre, during business hours. Refer to Council's adopted Fees and Charges for the administrative and inspection charges associated with Works Permit applications.

An approval for a new or modified vehicular crossing will contain the approved access and/or alignment levels which will be required to construct the crossing and/or footpath. Once approved, all work shall be carried out by a private contractor in accordance with Council's specifications prior to the issue of an Occupation Certificate.

The developer must meet all costs of the extension, relocation or reconstruction of any part of Council's drainage system (including design drawings and easements) required to carry out the approved development.

**viii. Site Safety Fencing**

Site fencing must be erected in accordance with SafeWork Guidelines, to exclude public access to the site throughout the demolition and/or construction work, except in the case of alterations to an occupied dwelling. The fencing must be erected before the commencement of any work and maintained throughout any demolition and construction work.

A demolition licence and/or a high risk work license may be required from SafeWork NSW (see [www.SafeWork.nsw.gov.au](http://www.SafeWork.nsw.gov.au)).

**iv. Australia Post – Letter Box Size and Location**

The size and location of letterboxes servicing the development are to comply with the requirements and standard of Australia Post (see attached link: [https://auspost.com.au/content/dam/auspost\\_corp/media/documents/Appendix-02.pdf](https://auspost.com.au/content/dam/auspost_corp/media/documents/Appendix-02.pdf) )